

A SOCIAL HEALTH ATLAS OF AUSTRALIA

Second Edition

Volume 4: Queensland

John Glover and Sarah Tennant

December 1999

 Public Health Information Development Unit

Copyright

© Commonwealth of Australia 1999

This work may be reproduced and used subject to acknowledgement of the source of any material so rep

National Library of Australia Cataloguing in Publication entry

Glover, John, 1945-

A social health atlas of Australia

2nd ed.

Bibliography.

Includes index.

ISBN 0 7308 9021 X (set)

ISBN 0 7308 9025 2 (v. 4).

1. Medical geography – Australia - Maps. 2. Medical - geography – Australia - Statistics. 3. Public health – Australia - Maps. 4. Public health – Australia - Statistics. 5. Health facilities – Australia – Utilization - Maps. 6. Health facilities – Australia – Utilization – Statistics. 7. Health surveys – Australia. I. Tennant, Sarah. II. University of Adelaide. Public Health Information Development Unit. III. Commonwealth Department of Health and Aged Care (Australia). IV. Title.

362.10994

A Social Health Atlas of Australia was produced by the Public Health Information Development Unit, University of Adelaide, South Australia. The project was funded by the Commonwealth Department of Health and Aged Care and supported by the South Australian Department of Human Services.

The majority of data mapped in the atlas, and the maps, was produced by Prometheus Information Pty Ltd, using the HealthWIZ software package. Further details of these and other contributors to the project are noted in the *Acknowledgements*.

Cover design by Julie Johninke using a photograph by Paul Doherty (photograph entitled *Merti Merti Sandhills, Strzelecki Track*).

Printed in Australia by Openbook Publishers.

Related publications and software products

A Social Health Atlas of Australia, 1992, Vols 1 & 2

HealthWIZ: details available at www.prometheus.com.au

Social health atlas World Wide Web site: www.publichealth.gov.au

Foreword

The publication of this second edition of ***A Social Health Atlas of Australia*** brings together a wide range of information about the health status of Australians by region, and the health service use by the Australian population.

By presenting the data as maps, the atlas provides a graphical image of the distribution of health status, and differences in the patterns and levels of access to and use of health services at the local level throughout the cities, towns, and rural and remote areas of Australia. The format of the atlas makes the information easy to understand and readily accessible to a broad group of users, including public health planners, providers, researchers, students and the general public.

The graphs of the newly developed Accessibility/Remoteness Index for Australia (ARIA) provide useful information for communities, as well as practitioners and managers in the health sector, to better understand the differences in the statistics that describe health status and health service use.

This data is essential for policy development and local area planning, and for monitoring and evaluating health services. It is also of major importance for resource allocation at the broadest level, and between areas, services and population groups. The maps and tabulations presented in this atlas represent a major compilation of information for these purposes.

I congratulate all those who have contributed to this important project.



Dr Michael Wooldridge
The Minister for Health and Aged Care

This page intentionally left blank

Executive summary

Introduction

The information in this atlas adds to a convincing body of evidence built up over a number of years in Australia as to the striking disparities in health that exist between groups in the population. People of low socioeconomic status (those who are relatively socially or economically deprived) experience worse health than those of higher socioeconomic status for almost every major cause of mortality and morbidity. The challenge for policy makers, health practitioners and governments is to find ways to address these health inequities.

Background

The primary aims of the first edition of *A Social Health Atlas of Australia* were to illustrate the spatial distribution of the socioeconomically disadvantaged population, and to compare this with patterns of distribution of major causes of illness and death and use of health services. The maps and correlation analysis highlighted associations between social and economic factors in relation to health and illness.

A number of new variables have been included in this second edition, together with many of the variables from the first edition. One of the additions is the presentation of data by the new Accessibility/Remoteness Index of Australia (ARIA). Also included is a cluster analysis, providing profiles at the Statistical Local Area (SLA) level of the socioeconomic status, health status and health service utilisation of the population.

The extent of change (between the editions) in the patterns of distribution in death rates by socioeconomic status is also highlighted.

Findings

Correlation analysis

There were correlations of significance at the small area level between the indicators of socioeconomic disadvantage drawn from the 1996 Population Census (Chapter 3) and a number of the health status variables. In **Brisbane**, the strongest of these were with the variables for people reporting their health as fair or poor (as opposed to those reporting their health as being excellent, very good, or good) and the Physical Component Summary (PCS, a measure of physical health) (**Table 8.1**). Similarly strong associations were evident in the correlation analysis with the variables for use of GP services by females and admissions to a public hospital.

There were fewer correlations of significance at the SLA level in the non-metropolitan areas of Queensland than was the case in **Brisbane**. This is, in part, a result of the number of areas with relatively small numbers of cases (population, deaths, hospital admissions, etc.) which reduces the strength of the analysis. However a number of variables are highly correlated with each other: these are the variables for unemployed people, single parent families, Indigenous Australians, people born in non-English speaking countries, people with poor proficiency in English and dwellings without a motor vehicle.

Various sub-sets of these are correlated with measures of health status and use of health services. The strongest correlations with

the measures of socioeconomic disadvantage were with the variables for people reporting their health as fair or poor, and the PCS. Although generally weaker, there was a consistent pattern between socioeconomic disadvantage and the variables for hospital admissions of males and females; and hospital admissions from circulatory and respiratory system diseases.

For the Indigenous population, there were correlations of substantial significance at the SLA level with the variable for years of potential life lost (a summary measure of premature death), single parent families, dwellings without a motor vehicle and admissions for respiratory system diseases.

Changes in socioeconomic status

Marked variations were recorded between 1986 and 1996 for a majority of the socioeconomic status variables mapped for Queensland (**Table 9.1**). For **Brisbane**, the largest increases were for the population of Aboriginal and Torres Strait Islander people (an increase of 94.4 per cent over this ten year period); the occupational grouping of managers and administrators, and professionals (71.9 per cent); housing authority rented dwellings (67.9 per cent); people born overseas in predominantly non-English speaking countries: an increase of 61.2 per cent for those resident for five years or more, of 55.6 per cent for those resident for less than five years, and of 58.3 per cent for those with poor proficiency in English; single parent families (60.8 per cent); and low income families (52.6 per cent). The only decreases recorded over this ten year period were for the variables for early school leavers (down by 3.0 per cent) and unemployment among 15 to 19 year olds (down by 8.4 per cent).

Variations of this order were also recorded in the non-metropolitan areas of Queensland. The major differences from the changes noted for **Brisbane** were the larger increases in the proportion of housing authority rented dwellings and people aged 65 years and over; smaller increases for Indigenous people, the occupations of managers and administrators, and professionals, people born predominantly non-English speaking countries and residents for five years or more, the number of single parent families and low income families; and decreases for the remaining two variables for people born overseas in predominantly non-English speaking countries.

Changes over this period for the major urban centre of **Townsville-Thuringowa** were relatively consistent with those recorded in **Brisbane**. However, there were considerable variations recorded in **Gold Coast-Tweed Heads**, the major differences being for the population aged from 0 to 4 years, people aged 65 years and over, early school leavers, unskilled and semi-skilled workers, the three variables for people born overseas in predominantly non-English speaking countries and housing authority rented dwellings.

Substantial variations were recorded in income support payments to residents of **Brisbane** for all of the payment types analysed, other than the Age Pension, for which there was a small increase (a decrease of 1.9 per cent). The number of each of the other payment types increased substantially, with the number of unemployment beneficiaries more than doubling (an increase of

153.4 per cent) (**Table 9.1**). Similar, although smaller, increases were recorded in the non-metropolitan areas of Queensland for all of these income support payments other than the Age Pension for which there was a small decrease (2.6 per cent). The increases in **Townsville-Thuringowa** were in line with those recorded for the non-metropolitan areas of the State and with those in **Brisbane**. Between 1986 and 1996 substantial increases were recorded in all income support payments to residents of **Gold Coast-Tweed Heads**.

Changes in death rates

Death rates in Queensland have declined over the years 1985 to 1989 and 1992 to 1995 for the majority of causes studied.

In **Brisbane**, the largest decreases were recorded for the infant death rate (down by 24.7 per cent) and for deaths of people aged from 15 to 64 years from circulatory system diseases (down by 46.5 per cent), respiratory system diseases (down by 38.4 per cent) and cancer (down by 29.6 per cent). All causes mortality was 29.6 per cent lower over this period, marginally more so for males than for females.

There were reductions in death rates for each of the causes studied in **Townsville-Thuringowa**. However, in **Gold Coast-Tweed Heads**, increases were recorded for premature deaths of females from all causes, and of males and females from cancer.

There were also reductions in rates of premature death in the non-metropolitan areas of Queensland for all major causes of death. However the reductions were less than those recorded for **Brisbane** for all except infant deaths and accidents, poisonings and violence. The reduction for all causes mortality was just over two thirds (69.3 per cent) that recorded for **Brisbane**.

Summary of findings by socioeconomic status of area of residence

Comparisons are made of changes in the health status of the population by socioeconomic status. In the absence of any direct measure of socioeconomic status in the health status data, the socioeconomic status of the SLA of usual residence in the health status records is used. In this analysis socioeconomic status is measured by the Index of Relative Socio-Economic Status (IRSD, see page 19). The SLAs in the major urban centres of **Brisbane**, **Gold Coast-Tweed Heads** and **Townsville-Thuringowa** have been grouped into five groups (quintiles) based on the IRSD score, with Quintile 1 comprising the twenty per cent of SLAs with the highest IRSD scores, and Quintile 5 comprising the twenty per cent of SLAs with the lowest IRSD scores.

Health status

Although there is some variability across the quintiles, the pattern is generally for the highest socioeconomic status SLAs (those in Quintile 1) to have the most advantageous (ie. in the majority of cases the lowest) rates and, generally, for the most disadvantaged SLAs (those in Quintile 5) to have the highest rates. The exception is the PCS, for which low scores indicate poorer health (**Figure 9.2**).

Years of potential life lost (YPLL) from deaths between the ages of 15 to 64 years varied from a standardised ratio (SR) in the most advantaged areas of 76 (24 per cent fewer YPLL than were expected from the Queensland State rates) to an SR of 127 in

the most disadvantaged areas (indicating that there were 27 per cent more YPLL than were expected from the State rates). Large differentials were also evident for deaths of 15 to 64 year old males (from an SDR of 72 in Quintile 1 to 129 in Quintile 5) and deaths of 15 to 64 years olds from lung cancer (84 to 122), circulatory system diseases (68 to 135) and respiratory system diseases (57 to 146).

The main differences in the non-metropolitan areas of Queensland from the gradients evident for **Brisbane** and the other major urban centres are for infant deaths (for which the gradient is reversed) and for premature deaths from lung cancer and the Total Fertility Rate, for which there is no notable gradient.

Health service utilisation

Although there is some variability across the quintiles, the pattern is generally for the most advantaged SLAs (those in Quintile 1) to have the lowest rates of admission, and for the most disadvantaged SLAs (those in Quintile 5) to have the highest rates. The exceptions include the graphs for admissions to a private hospital, admissions for all cancers, lung cancer and for breast cancer of females aged 40 years and over, and for the surgical procedures of myringotomy, endoscopy and Caesarean section. Others, including the graphs for admissions for psychosis and same day admissions for a surgical procedure, reveal a less consistent pattern (**Figure 9.3**).

In the non-metropolitan areas of Queensland, the main differences from the gradients evident for **Brisbane** and the other major urban centres are for admissions for cancer, psychosis, neurotic, personality or other mental disorders, hysterectomy, endoscopy and Caesarean section. The gradient for general practitioner (GP) services to males and females is the reverse of that in **Brisbane**. This may reflect higher levels of provision of GP services by providers not included in the Medicare data on which this analysis is based (eg. those working in Aboriginal Medical Services and mining companies) (**Figure 9.5**).

Change in health status by socioeconomic area of residence

As noted above, there has been an overall decrease in death rates in Queensland; there are also differentials in death rates by socioeconomic status of area. It is possible to examine the extent of the change in death rates by socioeconomic status of area. As data was not available for non-metropolitan SLAs in the first edition of the atlas, the following comparisons have been limited to **Brisbane**, **Gold Coast-Tweed Heads** and **Townsville-Thuringowa**.

Death rates in **Brisbane** and **Townsville-Thuringowa** declined between 1985-89 and 1992-95 for all of the causes of death studied, both overall and in each quintile of socioeconomic status of area. In **Gold Coast-Tweed Heads**, death rates declined between 1985-89 and 1992-95 for a majority of the causes studied: the exceptions were deaths of 15 to 64 year old females (an increase of 5 per cent) and deaths in the 'other' causes group (for which there was an increase in overall death rates).

It is clear, however, that despite the overall decline, the strong gradient in death rates between the quintiles remains. In fact, for male residents of **Brisbane**, **Gold Coast-Tweed Heads** and

Townsville-Thuringowa aged from 15 to 64 years, the differential in death rates between Quintile 1 (the most advantaged areas) and Quintile 5 (the most disadvantaged areas) increased, from 1.63 times higher in the most disadvantaged areas in 1985-89 to 1.73 times higher in 1992-95. Similar differentials occur for other deaths variables studied.

For females, overall death rates decreased to a similar extent to those for males, and the differential in death rates for female residents aged from 15 to 64 years between Quintile 1 and Quintile 5 also increased, from 1.34 times higher in the most disadvantaged areas in 1985-89 to 1.57 times higher in 1992-95.

Infant death rates in **Brisbane** declined by around one quarter between 1985-89 and 1992-95 (and to a smaller extent in **Gold Coast-Tweed Heads** and **Townsville-Thuringowa**), although the differential in rates between Quintile 1 and Quintile 5 increased, from 1.91 times higher in the most disadvantaged areas in 1985-89 to 2.41 times higher in 1992-95.

Despite a decline in death rates of the 15 to 64 year old population for all cancers, the differential in rates between Quintile 1 and Quintile 5 increased, from 1.05 times higher in the most disadvantaged areas in 1985-89 to 1.21 times higher in 1992-95. There was a larger decline in overall death rates for lung cancer, with the differential between Quintile 1 and Quintile 5 remaining at 1.46.

The overall decline in death rates for deaths of 15 to 64 year olds from circulatory system diseases was the highest among the causes of death studied, dropping to almost half in **Brisbane** and **Townsville-Thuringowa** (down by 46.5 per cent and 48.4 per cent, respectively) and by one fifth (19.5 per cent) in **Gold Coast-Tweed Heads**. The differential in rates between Quintile 1 and Quintile 5 increased from 1.53 times higher in the most disadvantaged areas in 1985-89 to 2.03 times higher in 1992-95.

The gradients in death rates from respiratory system diseases across the quintiles of socioeconomic status of area of residence are particularly strong over both periods. In 1985-89, the differential between Quintiles 1 and 5 was 1.74; by 1992-95 this had increased (by 88.9 per cent) to 3.28. This was the largest differential for any of the causes studied, as well as recording the largest increase in the differential between the two periods.

Death rates of 15 to 64 year old people from the external causes of accidents, poisonings and violence are also highest in the most disadvantaged areas of **Brisbane**, **Gold Coast-Tweed Heads** and **Townsville-Thuringowa**. The differential in 1992-95 is again greater than in 1985-89 (up by 7.5 per cent, from 1.60 to 1.72).

Death rates for 15 to 24 year olds from these external causes show a different pattern. Although rates are down in all quintiles, the largest reductions are in Quintiles 3 to 5, with the result that the differential in rates between Quintiles 1 and 5 has decreased, from 1.29 to 1.15 (a reduction of 11.3 per cent, the only reduction recorded for the causes studied).

Conclusion

There is clear evidence in the data of an association at the SLA level between high premature death rates (both for deaths from all causes and from most specific causes) and socioeconomic disadvantage, as measured by the IRSD. These associations are generally evident not only between the most advantaged (Quintile 1) and disadvantaged areas (Quintile 5), but also at each of the intervening levels of socioeconomic status (Quintiles 2 to 4) (**Figures 9.2 and 9.4**).

Similarly, there are associations between socioeconomic disadvantage and high rates of use of general medical practitioner services in the major urban centres, and for most of the variables for hospital admission in both the major urban centres and the non-metropolitan areas of Queensland (**Figures 9.4 and 9.5**). The gradients for admissions by socioeconomic status of area are particularly strong in the non-metropolitan SLAs.

It is also clear that, despite an overall improvement in death rates from all causes and for all of the specific causes studied for **Brisbane**, **Gold Coast-Tweed Heads** and **Townsville-Thuringowa** (**Table 9.2, Figure 9.6**), these improvements have not resulted in any significant reduction in the disparities evident in death rates between residents of the most well off areas and those in the poorest areas. In fact, for all but deaths of 15 to 24 year olds from the external causes of accidents, poisonings and violence, the gap in death rates has increased (**Figure 9.6**).

This page intentionally left blank

Using the *Social Health Atlas*

The social health atlas package

This second edition of *A Social Health Atlas of Australia* comprises:

- this volume for Queensland and a companion volume (Volume 4.1) containing the data mapped (the numbers and rate/ratio/percentages on which the maps are based); and
- similar volumes for each of the other States and Territories and a separate atlas for Australia as a whole (each of these atlases also has a companion volume containing the data mapped).

Some of the data from the atlas are also available on the **HealthWIZ** statistics database product, which comprises comprehensive health statistics from Australia's hospital systems, cause of death registries, population censuses, cancer registries, Medicare and income support system, as well as details of aged care and child care.

This volume contains general background information to the atlas, as well as maps of selected variables showing patterns of socioeconomic status, health status and health and welfare service use at a small area level. Each of these maps is accompanied by a commentary.

The text and maps can also be downloaded for reading and printing from the Public Health Information Development Unit World Wide Web site at www.publichealth.gov.au. The text (including the maps and graphs) and datasets on which the maps are based are available on CD-ROM (for Windows). Further details are in Appendix 1.1, *Project Resources and Output*.

Content

The atlas has nine chapters, an appendix, a bibliography and an index. The chapters are:

- 1 Introduction
- 2 Methods
- 3 Demography and socioeconomic status
- 4 Income support payments
- 5 Health status
- 6 Utilisation of health services
- 7 Availability of selected health services
- 8 Statistical analysis
- 9 Summary

Chapters 1 and 2 provide an overview of the purpose of the atlas and the approach taken in analysing and mapping data. These sections contain important information on the limitations of the mapped data. The Appendix provides additional background information, and the *Glossary*, at the end of this section, defines some of the terms used.

Chapters 3 to 7 each provide an introduction to the topic(s) being mapped, as well as the maps and associated commentary.

Chapter 8 shows the results of the correlation and cluster analyses. Chapter 9 presents details of the major changes in the data between this second and the first edition, as well as some summary measures of the health differentials calculated from the health status and health service utilisation data mapped in Chapters 5 and 6.

Using the atlas

Some people will use the atlas as a reference source, either going to particular maps (eg. of hospital surgical procedures), or using the index to find a particular topic (eg. deaths from circulatory system diseases) or variable (eg. tonsillectomy).

Others may choose to examine the correlation matrices and to then view the maps for variables for which the data are highly correlated. Or they may access the data in a spreadsheet and re-group the SLAs to suit their own purpose, recalculating the percentages or standardised ratios to represent the new spatial groupings.

To assist users in reading the maps, the layout of the two map types used most frequently is described below. The more detailed discussion in Chapter 2 on the way in which the data have been analysed and presented is, however, important in terms of gaining an understanding of how best to use the data and maps in this atlas. Users of the atlas are particularly encouraged to read this chapter to ensure they are aware of the deficiencies in the datasets presented, as well as in the mapping approach used.

Map of Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa

Area mapped

The area mapped is the Statistical Division of **Brisbane** (generally known as the capital city area) and the Statistical Subdivisions of **Gold Coast-Tweed Heads** and **Townsville-Thuringowa**. These latter two areas are referred to as 'other major urban centre': together with **Brisbane**, they comprise the three major urban centres (urban centres with a population of 100,000 or more) in Queensland. The spatial unit mapped is a group of Statistical Local Areas (SLAs) which approximate (and are, frequently, the same as) individual postcode areas.

Additional details, including key maps to assist in the location and identification of particular SLAs, are in *Appendix 1.2*: a set of clear film overlays to assist in this process is included in a pocket inside the back cover of this atlas.

Data measures mapped

The map sub-title indicates the format in which the data are presented. In a majority of cases, data are mapped as either a percentage or age (or age-sex) standardised ratio (the process of standardisation is described in Appendix 1.3, *Analysis and presentation of data*). The exceptions are the maps, in Chapter 7, of the location of selected health services; the Index of Relative Socio-Economic Disadvantage mapped in Chapter 3; the infant death rate; and the Total Fertility Rate.

The legend shows the data ranges used to indicate the spatial distribution of the characteristic being mapped.

Footnotes on the map page draw attention to particular aspects of the mapped data and the source of data.

Description

The text associated with the maps provides background information on the variable being mapped and describes the pattern of distribution of the variable at the small area level.

The commentary in the top section provides information about the topic being mapped, as well as a comparison between the capital cities and, where the data are available, refers to the situation reported in the first edition of the atlas. For variables where the data are age (or age-sex) standardised, these comparisons are made across Australia (with Australia as the standard for comparison).

In the lower two thirds of the page, attention is drawn to other sources of information about the variable, or characteristics of the population under discussion. The pattern of distribution shown in the map is then described, and associations evident in the correlation analysis with other variables are noted. Users should note that in these descriptions, where data has been standardised, it has been re-calculated to a new standard – in this atlas, to the Queensland State rates (rather than the Australian rates). This allows comparisons to be made between the rates for the small areas within **Brisbane**, **Gold Coast-Tweed Heads** and **Townsville-Thuringowa**, and the Queensland rates – ie. in effect the State average. This differs from the commentary on the top of the page, for which comparisons are made with the Australian rates.

Where the numbers of cases are relatively small (and, in particular, where these small numbers are associated with elevated rates), the absolute numbers are included in the commentary. The numbers (as well as the percentages, rates and ratios) are available in printed and electronic forms and should be used in conjunction with the information in this atlas.

Map of Queensland: referred to as the 'non-metropolitan areas' of Queensland

Area mapped

The spatial units mapped are SLAs: however **Brisbane**, **Gold Coast-Tweed Heads** and **Townsville-Thuringowa** are each mapped as one area (ie. not by groupings of SLAs) to enhance comparisons between these major urban centres and the non-metropolitan areas.

Towns with a population of 7,500 or more (but less than the urban centre cut-off of 100,000) are represented on the maps as

circles. Unfortunately, data for many towns is not available for the datasets in the atlas (other than the Census data).

As noted above in relation to the map of **Brisbane**, additional details are in *Appendix 1.2*: a set of clear film overlays to assist in the location and identification of particular small areas is included in a pocket inside the back cover of this atlas.

Data measures mapped

See comments above concerning **Brisbane**.

Description

Again, commentary in the top section provides information about the topic being mapped, as well as national comparisons, this time comparing the 'other' major urban centres (those population centres of 100,000 or larger which are not capital cities) and the areas of Australia outside of the capital cities and other major urban centres. These regional/rural/remote areas are referred to in the text as 'non-metropolitan areas'. Where the data are age (or age-sex) standardised, the standard is, again, Australia.

The lower two thirds of the page again draws attention to other sources of information about the variable, or characteristics of the population under discussion. The pattern of distribution shown in the map is then described, and associations evident in the correlation analysis with other variables are noted. Users should note that in these descriptions, where data has been standardised, it has been re-calculated to a new standard – in this atlas, to the Queensland State rates (rather than the Australian rates). This allows comparisons to be made between the rates for the SLAs within the non-metropolitan areas of Queensland and the State rates – ie. in effect the State average.

The cautions in the main introduction and in the introductory notes to each chapter are particularly relevant to the non-metropolitan areas, with their geographically large SLAs and relatively small, scattered populations.

Additional information: ARIA Index

In addition to the map, the map page includes a graph showing the average measure for the variable in each of five levels of accessibility/remoteness, as determined by the Accessibility/Remoteness Index for Australia (ARIA). This Index is described in more detail in Chapter 2, under the heading *Accessibility and Remoteness*. In brief, each SLA in Queensland has been allocated to one of five categories, which range from Highly Accessible, through Accessible, Moderately Accessible and Remote, to Very Remote. The average percentage, rate or ratio for each of the five categories is then calculated for each variable and presented as a graph. The graph is accompanied by a brief comment on the distribution across the categories.

Contents

Chapter	Page
Foreword	iii
Executive summary	v
Using the <i>Social Health Atlas</i>	ix
List of maps	xiv
List of tables	xviii
List of figures	xxii
Acknowledgements	xxiii
Glossary and explanatory notes	xxv
1 Introduction	1
2 Methods	7
3 Demography and socioeconomic status	17
Introduction, data sources and explanatory notes	
Age distribution	
children aged 0 to 4 years	22
people aged 65 years and over	26
Families	
single parent families	30
low income families	34
Labour force	
unskilled and semi-skilled workers	38
unemployed people	40
female labour force participation	44
Educational participation and achievement	
people who left school at age 15 years or less, or did not go to school	48
Aboriginal and Torres Strait Islander people	52
People born in predominantly non-English speaking countries	
number resident in Australia for five years or more	56
number resident in Australia for less than five years	60
proficiency in English	64
Housing	
dwellings rented from State/Territory housing authority	68
dwellings with no motor vehicle	72
SEIFA Index of Relative Socio-economic Disadvantage	76
4 Income support payments	81
Introduction, data sources and explanatory notes	
Age pensioners	84
Disability support pensioners	88
Female sole parent pensioners	92
People receiving an unemployment benefit	96
Dependent children of selected pensioners and beneficiaries	100

Chapter	Page
5 Health status	105
Introduction, data sources and explanatory notes	
Synthetic Predictions of selected health status measures	111
Introduction, data sources and explanatory notes	
People reporting their health as fair or poor	114
Physical Component Summary, SF36	118
Handicap status	122
Deaths	127
Introduction, data sources and explanatory notes	
under one year of age : infant deaths	134
15 to 64 year olds	
all causes: males	136
all causes: females	140
all cancers	144
lung cancer	148
circulatory system diseases	150
respiratory system diseases	154
accidents, poisonings and violence	157
15 to 24 year olds	
accidents, poisonings and violence	164
Years of potential life lost	166
Total Fertility Rate	175
6 Utilisation of health services	181
Introduction, data sources and explanatory notes	
Hospital admissions (including for surgical procedures)	183
Introduction and explanatory notes	
public acute hospitals and private hospitals	194
public acute hospitals	198
private hospitals	202
public acute and private hospitals	
males	206
females	210
same day patients	214
infectious and parasitic diseases	218
all cancers	222
lung cancer	226
cancer of the female breast	228
psychosis	230
neurotic, personality or other mental disorders	234
all circulatory system diseases	238
ischaemic heart disease	242
all respiratory system diseases	246
0 to 4 years olds with respiratory system disease	250
bronchitis, emphysema and asthma	254
accidents, poisonings and violence	258

Chapter	Page
Hospital admissions for surgical procedures	263
Introduction, data sources and explanatory notes	
admissions for a surgical procedure	266
same day admissions for a surgical procedure	270
tonsillectomy and/or adenoidectomy	274
myringotomy	278
Caesarean section	282
hysterectomy	286
hip replacement	290
lens insertion	292
endoscopy	296
General medical practitioner (GP) services	305
Introduction, data sources and explanatory notes	
GP services	
males	308
females	312
Immunisation status of one year old children	316
7 Availability of selected health services	321
Introduction, data sources and explanatory notes	
Population per GP	324
Hospital beds	
public acute hospitals	328
private hospitals	332
Residential care places	
Nursing home places	336
Hostel places	340
8 Statistical analysis	345
Introduction and explanatory notes	
Correlation analysis	345
Cluster analysis	351
9 Summary of findings	373
Introduction	
Changes in data rates between editions	373
Summary of findings by socioeconomic status of area of residence	374
Appendix 1: Supporting documentation	385
1.1 Project resources and output	387
1.2 Geographic areas mapped	389
1.3 Analysis and presentation of data	397
1.4 Classification of deaths, admissions and procedures	399
1.5 Synthetic estimates for small area	401
1.6 Additional details of cluster analysis	405
Bibliography	409
Index	419

List of maps

Chapter & Map	Page
2 Methods	
2.1 Accessibility/Remoteness Index of Australia (ARIA), 1996	9
2.2 Accessibility/Remoteness Index of Australia (ARIA), for SLAs in Queensland, 1996	10
3 Demography and socioeconomic status	
3.1 Children aged 0 to 4 years, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	23
3.2 Children aged 0 to 4 years, Queensland, 1996	25
3.3 People aged 65 years and over, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	27
3.4 People aged 65 years and over, Queensland, 1996	29
3.5 Single parent families, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	31
3.6 Single parent families, Queensland, 1996	33
3.7 Low income families, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	35
3.8 Low income families, Queensland, 1996	37
3.9 Unskilled and semi-skilled workers, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	39
3.10 Unemployed people, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	41
3.11 Unemployed people, Queensland, 1996	43
3.12 Female labour force participation, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	45
3.13 Female labour force participation, Queensland, 1996	47
3.14 People who left school at age 15 years or less, or did not go to school, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	49
3.15 People who left school at age 15 years or less, or did not go to school, Queensland, 1996	51
3.16 Aboriginal and Torres Strait Islander people, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	53
3.17 Aboriginal and Torres Strait Islander people, Queensland, 1996	55
3.18 People born in predominately non-English speaking countries and resident in Australia for five years or more, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	57
3.19 People born in predominately non-English speaking countries and resident in Australia for five years or more, Queensland, 1996	59
3.20 People born in predominately non-English speaking countries and resident for less than five years, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	61
3.21 People born in predominately non-English speaking countries and resident for less than five years, Queensland, 1996	63
3.22 Poor proficiency in English of people aged five years and over and born in predominately non-English speaking countries, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	65
3.23 Poor proficiency in English of people aged five years and over and born in predominately non-English speaking countries, Queensland, 1996	67
3.24 Dwellings rented from the State housing authority, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	69
3.25 Dwellings rented from the State housing authority, Queensland, 1996	71
3.26 Dwellings with no motor vehicles, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	73
3.27 Dwellings with no motor vehicles, Queensland, 1996	75
3.28 SEIFA Index of Relative Socio-Economic Disadvantage, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	77
3.29 SEIFA Index of Relative Socio-Economic Disadvantage, Queensland, 1996	79
4 Income support payments	
4.1 Age pensioners, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1996	85
4.2 Age pensioners, Queensland, 30 June 1996	87
4.3 Disability support pensioners, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1996	89
4.4 Disability support pensioners, Queensland, 30 June 1996	91
4.5 Female sole parent pensioners, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1996	93
4.6 Female sole parent pensioners, Queensland, 30 June 1996	95
4.7 People receiving an unemployment benefit, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1996	97
4.8 People receiving an unemployment benefit, Queensland, 30 June 1996	99
4.9 Dependent children of selected pensioners and beneficiaries, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1996	101
4.10 Dependent children of selected pensioners and beneficiaries, Queensland, 30 June 1996	103

5 Health status

5.1	People reporting their health as fair or poor, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995	115
5.2	People reporting their health as fair or poor, Queensland, 1995	117
5.3	Physical Component Summary, SF-36, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995	119
5.4	Physical Component Summary, SF-36, Queensland, 1995	121
5.5	Estimated number of people with a handicap, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1993	123
5.6	Estimated number of people with a handicap, Queensland, 1993	125
5.7	Infant deaths, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	135
5.8	Deaths of males aged 15 to 64 years from all causes, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	137
5.9	Deaths of males aged 15 to 64 years from all causes, Queensland, 1992 to 1995	139
5.10	Deaths of females aged 15 to 64 years from all causes, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	141
5.11	Deaths of females aged 15 to 64 years from all causes, Queensland, 1992 to 1995	143
5.12	Deaths of people aged 15 to 64 years from cancer, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	145
5.13	Deaths of people aged 15 to 64 years from cancer, Queensland, 1992 to 1995	147
5.14	Deaths of people aged 15 to 64 years from lung cancer, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	149
5.15	Deaths of people aged 15 to 64 years from circulatory system diseases, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	151
5.16	Deaths of people aged 15 to 64 years from circulatory system diseases, Queensland, 1992 to 1995	153
5.17	Deaths of people aged 15 to 64 years from respiratory system diseases, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995.	155
5.18	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	161
5.19	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, Queensland, 1992 to 1995	163
5.20	Deaths of people aged 15 to 24 years from accidents, poisonings and violence, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	165
5.21	Deaths of people aged 15 to 64 years; years of potential life lost, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	167
5.22	Deaths of people aged 15 to 64 years; years of potential life lost, Queensland, 1992 to 1995	169
5.23	Total Fertility Rate, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1992 to 1995	177
5.24	Total Fertility Rate, Queensland, 1992 to 1995	179

6 Utilisation of health services

6.1	Admissions to public acute hospitals and private hospitals, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	195
6.2	Admissions to public acute hospitals and private hospitals, Queensland, 1995/96	197
6.3	Admissions to public acute hospitals, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	199
6.4	Admissions to public acute hospitals, Queensland, 1995/96	201
6.5	Admissions to private hospitals, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	203
6.6	Admissions to private hospitals, Queensland, 1995/96	205
6.7	Admissions of males, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	207
6.8	Admissions of males, Queensland, 1995/96	209
6.9	Admissions of females, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	211
6.10	Admissions of females, Queensland, 1995/96	213
6.11	Same day admissions, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	215
6.12	Same day admissions, Queensland, 1995/96	217
6.13	Admissions for infectious and parasitic diseases, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	219
6.14	Admissions for infectious and parasitic diseases, Queensland, 1995/96	221

Chapter & Map	Page
6.15 Admissions for cancer, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	223
6.16 Admissions for cancer, Queensland, 1995/96	225
6.17 Admissions for lung cancer, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	227
6.18 Admissions of females aged 40 years and over for breast cancer, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	229
6.19 Admissions for psychosis, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	231
6.20 Admissions for psychosis, Queensland, 1995/96	233
6.21 Admissions for neurotic, personality or other mental disorders, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	235
6.22 Admissions for neurotic, personality or other mental disorders, Queensland, 1995/96	237
6.23 Admissions for circulatory system diseases, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	239
6.24 Admissions for circulatory system diseases, Queensland, 1995/96	241
6.25 Admissions for ischaemic heart disease, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	243
6.26 Admissions for ischaemic heart disease, Queensland, 1995/96	245
6.27 Admissions for respiratory system disease, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	247
6.28 Admissions for respiratory system diseases, Queensland, 1995/96	249
6.29 Admissions of children aged 0 to 4 years for respiratory system diseases, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	251
6.30 Admissions of children aged 0 to 4 years for respiratory system diseases, Queensland, 1995/96	253
6.31 Admissions for bronchitis, emphysema or asthma, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	255
6.32 Admissions for bronchitis, emphysema or asthma, Queensland, 1995/96	257
6.33 Admissions from accidents, poisonings and violence, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	259
6.34 Admissions from accidents, poisonings and violence, Queensland, 1995/96	261
6.35 Admissions for a surgical procedure, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	267
6.36 Admissions for a surgical procedure, Queensland, 1995/96	269
6.37 Same day admissions for a surgical procedure, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	271
6.38 Same day admissions for a surgical procedure, Queensland, 1995/96	273
6.39 Admissions for tonsillectomy and/or adenoidectomy, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	275
6.40 Admissions for tonsillectomy and/or adenoidectomy, Queensland, 1995/96	277
6.41 Admissions of children aged 0 to 9 years for a myringotomy, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	279
6.42 Admissions of children aged 0 to 9 years for a myringotomy, Queensland, 1995/96	281
6.43 Admissions of females aged 15 to 44 years for Caesarean section, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	283
6.44 Admissions of females aged 15 to 44 years for Caesarean section, Queensland, 1995/96	285
6.45 Admissions of females aged 30 years and over for hysterectomy, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	287
6.46 Admissions of females aged 30 years and over for hysterectomy, Queensland, 1995/96	289
6.47 Admissions for hip replacement, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	291
6.48 Admissions for lens insertion, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	293
6.49 Admissions for lens insertion, Queensland, 1995/96	295
6.50 Admissions for endoscopies, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	297
6.51 Admissions for endoscopies, Queensland, 1995/96	299
6.52 General medical practitioner services to males, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	309
6.53 General medical practitioner services to males, Queensland, 1996	311
6.54 General medical practitioner services to females, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	313
6.55 General medical practitioner services to females, Queensland, 1996	315
6.56 Immunisation status of children at 12 months of age, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1998	317
6.57 Immunisation status of children at 12 months of age, Queensland, 1998	319

Chapter & Map	Page
7 Availability of selected health services	
7.1 Population per general medical practitioner, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996/97	325
7.2 Population per general medical practitioner, Queensland, 1996/97	327
7.3 Public acute hospital beds per 1,000 population, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1995/96	329
7.4 Public acute hospital beds per 1,000 population, Queensland, 1995/96	331
7.5 Private hospital beds per 1,000 population, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1997	333
7.6 Private hospital beds per 1,000 population, Queensland, 30 June 1997	335
7.7 Nursing home places per 1,000 population aged 70 years and over, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1997	337
7.8 Nursing home places per 1,000 population aged 70 years and over, Queensland, 30 June 1997	339
7.9 Hostel places per 1,000 population aged 70 years and over, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 30 June 1997	341
7.10 Hostel places per 1,000 population aged 70 years and over, Queensland, 30 June 1997	343
8 Statistical analysis	
8.1 Socioeconomic clusters based on Statistical Local Areas in Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	357
8.2 Health status clusters based on Statistical Local Areas in Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	358
8.3 Health service utilisation clusters based on Statistical Local Areas in Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	359
8.4 Social health clusters based on Statistical Local Areas in Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	360
8.5 Socioeconomic clusters based on Statistical Local Areas in Queensland, 1996	366
8.6 Health status clusters based on Statistical Local Areas in Queensland, 1996	367
8.7 Health service utilisation clusters based on Statistical Local Areas in Queensland, 1996	368
8.8 Social health clusters based on Statistical Local Areas in Queensland, 1996	369
Appendix 1	
A1 Key map for Statistical Local Areas in Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	391
A2 Key map for Statistical Local Areas in the non-metropolitan areas of Queensland, 1996	392

List of tables

Chapter & Table	Page
1 Introduction	
1.1 Correlation coefficients for small areas in Brisbane	2
1.2 Small area data of relevance to the National Health Priority Areas	4
2 Methods	
2.1 Conversion of 1996 deaths data to SLA using the ABS Census-based postcode converter: deaths by age group for selected SLAs, South Australia, 1996	12
2.2 Area manes used	14
3 Demography and socioeconomic status	
3.1 Population and area, Queensland, 1996	17
3.2 Population of Indigenous Australians, 1986 to 1996	18
3.3 Details of demographic and socioeconomic variables mapped	20
3.4 Proportion of population aged 0 to 4 years, capital cities	22
3.5 Proportion of population aged 0 to 4 years, State/Territory	24
3.6 Proportion of population aged 65 years and over, capital cities	26
3.7 Proportion of population aged 65 years and over, State/Territory	28
3.8 Structure of population aged 65 years and over, Queensland, 1986 and 1996	28
3.9 Single parent families, capital cities	30
3.10 Single parent families, State/Territory	32
3.11 Low income families, capital cities	34
3.12 Low income families, State/Territory	36
3.13 Unskilled and semi-skilled workers, capital cities	38
3.14 Unemployed people, capital cities	40
3.15 Unemployed people, State/Territory	42
3.16 Female labour force participation, capital cities	44
3.17 Female labour force participation, State/Territory	46
3.18 People who left school at age 15 years or less, or did not go to school, capital cities	48
3.19 People who left school at age 15 years or less, or did not go to school, State/Territory	50
3.20 Aboriginal and Torres Strait Islander people, capital cities	52
3.21 Aboriginal and Torres Strait Islander people, State/Territory	54
3.22 People born in predominantly non-English speaking countries and resident in Australia for 5 years or more, capital cities	56
3.23 People born in predominantly non-English speaking countries and resident in Australia for 5 years or more, State/Territory	58
3.24 People born in predominantly non-English speaking countries and resident in Australia for less than 5 years, capital cities	60
3.25 People born in predominantly non-English speaking countries and resident in Australia for less than 5 years, State/Territory	62
3.26 Poor proficiency in English of people aged 5 years and over and born in predominantly non-English speaking countries, capital cities	64
3.27 Poor proficiency in English of people aged 5 years and over and born in predominantly non-English speaking countries, State/Territory	66
3.28 Dwellings rented from the State housing authority, capital cities	68
3.29 Dwellings rented from the State housing authority, State/Territory	70
3.30 Dwellings with no motor vehicle, capital cities	72
3.31 Dwellings with no motor vehicle, State/Territory	74
3.32 SEIFA Index of Relative Socio-Economic Disadvantage, capital cities	76
3.33 SEIFA Index of Relative Socio-Economic Disadvantage, State/Territory	78

4 Income support payments

4.1	Income support payments mapped, 30 June 1996	81
4.2	Age pensioners, capital cities	84
4.3	Age pensioners, State/Territory	86
4.4	Disability support pensioners, capital cities	88
4.5	Disability support pensioners, State/Territory	90
4.6	Female sole parent pensioners, capital cities	92
4.7	Female sole parent pensioners, State/Territory	94
4.8	People receiving an unemployment benefit, capital cities	96
4.9	People receiving an unemployment benefit, State/Territory	98
4.10	Dependent children of selected pensioners and beneficiaries, capital cities	100
4.11	Dependent children of selected pensioners and beneficiaries, State/Territory	102

5 Health Status

5.1	Health status indicators by socioeconomic disadvantage of area and sex, Australia, late 1980s	105
5.2	Rate/ratio of mortality inequality by socioeconomic disadvantage of area, 1985-87 and 1995-97	106
5.3	Boundary changes	109
5.4	People reporting their health as fair or poor, capital cities	114
5.5	People reporting their health as fair or poor, State/Territory	116
5.6	Physical Component Summary, capital cities, 1995	118
5.7	Physical Component Summary, State/Territory, 1995	120
5.8	Estimated number of people with a handicap, capital cities	122
5.9	Estimated number of people with a handicap, State/Territory	124
5.10	Deaths by cause and age, Queensland, 1992 to 1995	129
5.11	Deaths by selected cause and area, Queensland, 1992 to 1995	130
5.12	Infant deaths, capital cities	134
5.13	Deaths of males aged 15 to 64 years from all causes, capital cities	136
5.14	Deaths of males aged 15 to 64 years from all causes, State/Territory	138
5.15	Deaths of females aged 15 to 64 years from all causes, capital cities	140
5.16	Deaths of females aged 15 to 64 years from all causes, State/Territory	142
5.17	Deaths of people aged 15 to 64 years from cancer, capital cities	144
5.18	Deaths of people aged 15 to 64 years from cancer, State/Territory	146
5.19	Deaths of people aged 15 to 64 years from lung cancer, capital cities	148
5.20	Deaths of people aged 15 to 64 years from circulatory system diseases, capital cities	150
5.21	Deaths of people aged 15 to 64 years from circulatory system diseases, State/Territory	152
5.22	Deaths of people aged 15 to 64 years from respiratory system diseases, capital cities	154
5.23	Deaths from accidents, poisonings & violence, by cause, Queensland, 1992 to 1995	157
5.24	Deaths from accidents, poisonings and violence, by area of residence, Queensland, 1992 to 1995	157
5.25	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, capital cities	160
5.26	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, State/Territory	162
5.27	Deaths of people aged 15 to 24 years from accidents, poisonings and violence, capital cities	164
5.28	Deaths of people aged 15 to 64 years: years of potential life lost, capital cities, 1992 to 1995	166
5.29	Deaths of people aged 15 to 64 years: years of potential life lost, State/Territory, 1992 to 1995	168
5.30	Infant deaths, State/Territory	171
5.31	Deaths of people aged 15 to 64 years from lung cancer, State/Territory	172
5.32	Deaths of people aged 15 to 64 years from respiratory system diseases, State/Territory	173
5.33	Deaths of people aged 15 to 24 years from accidents, poisonings and violence, State/Territory	174
5.34	Total Fertility Rate, capital cities, 1992 to 1995	176
5.35	Total Fertility Rate, State/Territory, 1992 to 1995	178

6	Utilisation of health services	
6.1	Health service use by socioeconomic disadvantage of area and sex, Australia, late 1980s	181
6.2	Admissions of Indigenous Australians to public acute and private hospitals, by cause, Australia, 1996/97	184
6.3	Public acute and private hospital admissions included in the analysis, Queensland, 1995/96	190
6.4	Public acute and private hospital admissions, by type of admission: Comparison between editions	192
6.5	Admissions of residents of Queensland by State/Territory of location of hospital, 1995/96	192
6.6	Admissions to public acute hospitals and private hospitals, capital cities	194
6.7	Admissions to public acute hospitals and private hospitals, State/Territory	196
6.8	Admissions to public acute hospitals, capital cities, 1995/96	198
6.9	Admissions to public acute hospitals, State/Territory, 1995/96	200
6.10	Admissions to private hospitals, capital cities, 1995/96	202
6.11	Admissions to private hospitals, State/Territory, 1995/96	204
6.12	Admissions of males, capital cities	206
6.13	Admissions of males, State/Territory	208
6.14	Admissions of females, capital cities	210
6.15	Admissions of females, State/Territory	212
6.16	Same day admissions, capital cities, 1995/96	214
6.17	Same day admissions, State/Territory, 1995/96	216
6.18	Admissions with a principal diagnosis of infectious and parasitic diseases, capital cities	218
6.19	Admissions with a principal diagnosis of infectious and parasitic diseases, State/Territory	220
6.20	Admissions with a principal diagnosis of cancer, capital cities	222
6.21	Admissions with a principal diagnosis of cancer, State/Territory	224
6.22	Admissions with a principal diagnosis of lung cancer, capital cities	226
6.23	Admissions of females aged 40 years and over with a principal diagnosis of breast cancer, capital cities	228
6.24	Admissions with a principal diagnosis of psychosis, capital cities, 1995/96	230
6.25	Admissions with a principal diagnosis of psychosis, State/Territory, 1995/96	232
6.26	Admissions with a principal diagnosis of neurotic, personality or other mental disorders, capital cities, 1995/96	234
6.27	Admissions with a principal diagnosis of neurotic, personality or other mental disorders, State/Territory, 1995/96	236
6.28	Admissions with a principal diagnosis of circulatory system diseases, capital cities	238
6.29	Admissions with a principal diagnosis of circulatory system diseases, State/Territory	240
6.30	Admissions with a principal diagnosis of ischaemic heart disease, capital cities	242
6.31	Admissions with a principal diagnosis of ischaemic heart disease, State/Territory	244
6.32	Admissions with a principal diagnosis of respiratory system diseases, capital cities	246
6.33	Admissions with a principal diagnosis of respiratory system diseases, State/Territory	248
6.34	Admissions of 0 to 4 year olds with a principal diagnosis of respiratory system diseases, capital cities	250
6.35	Admissions of 0 to 4 year olds with a principal diagnosis of respiratory system diseases, State/Territory	252
6.36	Admissions with a principal diagnosis of bronchitis, emphysema or asthma, capital cities	254
6.37	Admissions with a principal diagnosis of bronchitis, emphysema or asthma, State/Territory	256
6.38	Admissions with an external cause of accidents, poisonings and violence, capital cities	258
6.39	Admissions with an external cause of accidents, poisonings and violence, State/Territory	260
6.40	Admission rates for selected sentinel procedures, public and private hospitals, 1996/1997	263
6.41	Standardised admission ratios for selected surgical procedures, Queensland	263
6.42	Admissions for a surgical procedure, capital cities, 1995/96	266
6.43	Admissions for a surgical procedure, State/Territory, 1995/96	268
6.44	Same day admissions for a surgical procedure, capital cities, 1995/96	270
6.45	Same day admissions for a surgical procedure, State/Territory, 1995/96	272
6.46	Admissions with a principal procedure of tonsillectomy and/or adenoidectomy, capital cities, 1995/96	274
6.47	Admissions with a principal procedure of tonsillectomy and/or adenoidectomy, State/Territory, 1995/96	276
6.48	Admissions of children aged 0 to 9 years with a principal procedure of myringotomy, capital cities, 1995/96	278
6.49	Admissions of children aged 0 to 9 years with a principal procedure of myringotomy, State/Territory, 1995/96	280
6.50	Admissions of females aged 15 to 44 years with a principal procedure of Caesarean section, capital cities, 1995/96	282
6.51	Admissions of females aged 15 to 44 years with a principal procedure of Caesarean section, State/Territory, 1995/96	284
6.52	Admissions of females aged 30 years and over with a principal procedure of hysterectomy, capital cities, 1995/96	286
6.53	Admissions of females aged 30 years and over with a principal procedure of hysterectomy, State/Territory, 1995/96	288

Chapter & Table	Page
6.54 Admissions with a principal procedure of hip replacement, capital cities, 1995/96	290
6.55 Admissions for lens insertion, capital cities, 1995/96	292
6.56 Admissions for lens insertion, State/Territory, 1995/96	294
6.57 Admissions with a principal procedure of endoscopy, capital cities, 1995/96	296
6.58 Admissions with a principal procedure of endoscopy, State/Territory, 1995/96	298
6.59 Admissions with a principal diagnosis of lung cancer, State/Territory	301
6.60 Admissions of females aged 40 years and over with a principal diagnosis of breast cancer, State/Territory	302
6.61 Admissions with a principal procedure of hip replacement, State/Territory, 1995/96	303
6.62 Location of Royal Flying Doctor Service bases and number of services, 1997	306
6.63 General medical practitioner services to males, capital cities	308
6.64 General medical practitioner services to males, State/Territory	310
6.65 General medical practitioner services to females, capital cities	312
6.66 General medical practitioner services to females, State/Territory	314
6.67 Proportion of children who were fully immunised at 12 months of age, capital cities, 1998	316
6.68 Proportion of children who were fully immunised at 12 months of age, capital cities, 1998	318
7 Availability of selected health services	
7.1 Patient days for nursing home type patients in public acute hospitals, by area, States and Territories, 1997/98	322
7.2 Nursing home and hostel places per 1,000 population aged 70 years and over, 1997	322
7.3 Population per general medical practitioner, capital cities	324
7.4 Population per general medical practitioner, State/Territory	326
7.5 Public acute hospital beds per 1,000 population, capital cities	328
7.6 Public acute hospital beds per 1,000 population, State/Territory	330
7.7 Private hospitals beds per 1,000 population, capital cities	332
7.8 Private hospital beds per 1,000 population, State/Territory	334
7.9 Nursing home places per 1,000 population aged 70 years and over, capital cities	336
7.10 Nursing home places per 1,000 population aged 70 years and over, State/Territory	338
7.11 Hostel places per 1,000 population aged 70 years and over, capital cities	340
7.12 Hostel places per 1,000 population aged 70 years and over, State/Territory	342
8 Statistical analysis	
8.1 Correlation matrix for small areas in Brisbane	347
8.2 Correlation matrix for SLAs in the non-metropolitan areas of Queensland	349
8.3 Variables used in cluster analysis	351
8.4 Composition of small area clusters in Brisbane	352
8.5 Composition of small area clusters in Gold Coast-Tweed Heads and Townsville-Thuringowa	354
8.6 Composition of SLA clusters in the non-metropolitan areas of Queensland	363
8.7 Composition of town clusters in Australia	371
9 Summary of findings	
9.1 Changes in socioeconomic status variables, by Section of State, Queensland	373
9.2 Changes in health status variables, by Section of State, Queensland	374
Appendix	
A1 Urban centres in Queensland	390
A2 Names used for towns comprised of multiple Statistical Local Areas	390
A3 Key to small areas in Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa, 1996	393
A4 Key to Statistical Local Areas in the non-metropolitan areas of Queensland, 1996	396
A5 Data sources	398
A6 ICD-9 Codes for causes of death mapped in Chapter 5	399
A7 ICD-9 Codes for diagnoses/external causes mapped in Chapter 6	399
A8 ICPM Codes for surgical procedures mapped in Chapter 6	399

List of figures

Chapter & Figure	Page
3 Demography and socioeconomic status	
3.1 SEIFA Index of Relative Socio-Economic Disadvantage, capital cities	76
3.2 SEIFA Index of Relative Socio-Economic Disadvantage, Rest of State/Territory	78
4 Income support payments	
4.1 Age pensioners, Queensland, 1996	82
4.2 Disability support pensioners, Queensland, 1996	82
4.3 Female sole parent pensioners, Queensland, 1996	83
4.4 Unemployment beneficiaries, Queensland, 1996	83
5 Health Status	
5.1 Death rates of people aged from 15 to 64 years, by cause, Australia	128
5.2 Death rates of people aged from 15 to 64 years, by cause, Queensland	128
5.3 Deaths from all causes, by age and sex, Queensland, 1992 to 1995	130
5.4 Deaths from cancer, by age and sex, Queensland, 1992 to 1995	131
5.5 Deaths from circulatory system diseases, by age and sex, Queensland, 1992 to 1995	131
5.6 Deaths from respiratory system diseases, by age and sex, Queensland, 1992 to 1995	131
5.7 Deaths from accidents, poisonings and violence, by age and sex, Queensland, 1992 to 1995	132
5.8 Suicide rates of people aged from 25 to 64 years: Brisbane and Rest of State	133
5.9 Suicide rates of people aged from 15 to 24 years, Brisbane and Rest of State	133
5.10 Total Fertility Rate, Brisbane and Rest of State, 1992 to 1995	175
6 Utilisation of health services	
6.1 Admissions to public acute and private hospitals, by age, Queensland and Australia, 1995/96	184
6.2 Admissions to public acute and private hospitals, by age and sex, Queensland, 1995/96	185
6.3 Admissions to public acute hospitals, by age and sex, Queensland, 1995/96	185
6.4 Admissions to private hospitals, by age and sex, Queensland, 1995/96	186
6.5 Same day admissions, by age and sex, Queensland, 1995/96	186
6.6 Admissions for circulatory system diseases, by age and sex, Queensland, 1995/96	187
6.7 Admissions for respiratory system diseases, by age and sex, Queensland, 1995/96	187
6.8 Admissions from accidents, poisonings and violence, by age and sex, Queensland, 1995/96	188
6.9 Admissions for a surgical procedure, by age and sex, Queensland, 1995/96	188
6.10 Same day admissions for a surgical procedure, by age and sex, Queensland, 1995/96	188
6.11 General medical practitioner services, by age and sex, Queensland, 1996	306
9 Summary of findings	
9.1 Differentials in IRSD scores for small areas in Brisbane	375
9.2 Health status differentials by quintile of socioeconomic disadvantage of area, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa	376
9.3 Health service utilisation differentials by quintile of socioeconomic disadvantage of area, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa	377
9.4 Health status differentials by quintile of socioeconomic disadvantage of area, Rest of State	379
9.5 Health service utilisation differentials by quintile of socioeconomic disadvantage of area, Rest of State	380
9.6 Change in health status by quintile of socioeconomic disadvantage of area, Brisbane, Gold Coast-Tweed Heads and Townsville-Thuringowa	383

Acknowledgements

The atlas series was produced with the assistance of a number of people and organisations. This atlas for Queensland was produced by John Glover and Sarah Tennant, with the assistance of the other members of the project staff, Kevin Harris and Vija Watts. Sarah was also responsible for day to day management of the data (for checking and storing it), for producing many of the tables and graphs, and for generally keeping in touch with the whole project. Some of the early drafting of Chapter 3 in this atlas was undertaken by David Forster and Cameron Joyce, and Caroline Bruce was responsible for the majority of the work in checking and validating the Census data that was supplied for all of the atlases. These three people moved on to other jobs in the early stages of this project. Lucy Glover checked the data in the drafts against the source material and edited it as necessary. Nicholas Glover inserted many of the map files (as did Kieran Moors) and set up the graphs in Chapter 9.

Outside the Public Health Information Development Unit (PHIDU), Prometheus Information Pty Ltd was the major contributor to the project. Prometheus is contracted by the Commonwealth Department of Health and Aged Care to develop HealthWIZ, the software which was used to produce the maps in this atlas and the data tables (on which the maps are based) in Volume 1.1. Some of the information was already held by Prometheus, and other information needed to be obtained from various Commonwealth, State and Territory agencies and added to the HealthWIZ database in a way that ensured comparability. This was no small task. Although the HealthWIZ software included a mapping facility, the particular approach to publishing the atlas required that special arrangements be made to output the maps in a suitable format. For example, the maps were exported from HealthWIZ and pasted into frames in a MS Word document. Each of these documents was then inserted into the appropriate page in the atlas. Much of the work was highly complex and technical, and required attention to detail and knowledge of the datasets (in particular in identifying potential problems in the data and following these up to confirm or correct them) and statistical geography over a number of years. The quality of the final result, evident in the published product, is testimony to their efforts. George Preston, a Director of the company, was always willing to assist. His knowledge of health statistics and his statistical expertise were frequently of value in making decisions about alternative approaches to the analysis and interpretation of data. Daryl Akerlind and Alain Remont designed the software enhancements to provide the pullouts and town overlays for the maps. Other major contributors at Prometheus were Jane Gorrie and Jennifer Chorley, Zlatan Dzumhur, Jane Lindsay, Jennie Widdowson, Ayse Idehen and (in the earlier stages of the project) Swandi Candra.

In addition to funding the project, the Commonwealth Department of Health and Aged Care took a keen interest in the ongoing work. A number of people had a key role in this, including Ruth Parslow, Karl Higgins and Frances Byers (in aspects of project establishment and contract management) and Jan Bennett and Brendan Gibson (overall direction of the project). In more recent months, Joy Eshpeter and Renata Rustowski had a major role in seeing the project signed off and in negotiating release arrangements. The support and encouragement of this group of people (and others in the

Department) has been greatly appreciated, as were their comments on the final drafts.

The South Australian Department of Human Services had contract responsibility for the atlas for much of the time over which it was produced. They provided a supportive environment in which the atlas could be produced, and made possible the transition of responsibility for the project to PHIDU in April 1999. The support of many people in the Department, including the Chief Executive, Christine Charles, is gratefully acknowledged.

The Australian Institute of Health and Welfare (AIHW) provided the majority of the hospital inpatient data, other than for Queensland. As the AIHW does not hold small area data for Queensland, this was obtained directly from Queensland Health. Jim Snodgrass assisted in the provision of this data. The AIHW provided other background descriptive material for Chapter 6, in addition to the data mapped. The main individuals who assisted were Jenny Hargreaves, Janis Shaw and Paul Halliday. The State and Territory health agencies all provided additional details of hospital admissions not available from AIHW (of admissions of residents of one State or Territory occurring in another).

Colin Mathers of the AIHW and Theo Voss of the Victorian Department of Human Services readily agreed to the use in the atlas of the results of their recent (unpublished) studies into links between socioeconomic status and health status.

All of the data in Chapter 3, as well as a range of other data used throughout the atlas, were purchased from the Australian Bureau of Statistics (ABS). The staff of the Adelaide office of the ABS handled these requests and were thorough and helpful in assisting us to define the data so that it was comparable with that published in the first edition of the atlas. The staff of the ABS office in Queensland were also helpful in providing details of population counts for areas affected by boundary changes that had implications for the datasets being used.

The cluster analysis was a major exercise and was undertaken in a highly professional manner by Graeme Tucker. The ARIA graphs and the graphs in Chapter 9 were exported from a module produced by Andrew McAlindon. This module streamlined the calculation of the many rates, percentages etc. used in these sections of the atlas, as well as the production of the final graphs.

Diana Hetzel and Jeanette Pope provided invaluable support in strengthening the discussion of the socioeconomic determinants of health in Chapter 1. Diana contributed in a number of other ways, in particular by providing much of the referenced background material in the topic introductions throughout the atlas; she also read the final drafts. Tony Woollacott and Fearnley Szuster read a number of earlier drafts and Fearnley also provided many useful comments on the later drafts. Thanks are also due to Julie Johninke who produced the cover design, and to Paul Doherty for the photographic image used on the cover.

The final responsibility for the content and comment remains with me.

John Glover
Project Manager
December 1999

This page intentionally left blank

Glossary and Explanatory notes

Cause of death

Causes of death are classified by the Australian Bureau of Statistics to the Ninth (1975) Revision of the World Health Organisation's International Classification of Diseases (ICD-9) which was adopted for world-wide use from 1979.

The cause of death particulars in this publication relate to the underlying cause of death, which the World Health Organisation has defined as the disease or injury which initiated the train of morbid events leading directly to death. Accidental and violent deaths are classified to the circumstances of the accident or violence which produced the fatal injury. Deaths of infants aged less than one month are classified according to the main condition in the infant which contributed to the death.

Details of the ICD-9 codes applicable to the variables mapped in Chapter 5 are shown in *Appendix 1.4*.

Coding of hospital admissions

Diagnoses and procedures are classified according to the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM October 1988 Revision). External causes are classified according to ICD-9-CM Supplementary Classification of External Causes of Injury and Poisoning ('E' codes) classification codes.

Details of the codes applicable to the variables mapped in Chapter 6 are shown in *Appendix 1.4*.

Admissions

The technical term describing a completed hospital episode (ie. the discharge, death or transfer of a patient) is a 'separation'.

At the time of admission, the age, sex, address of usual residence and other personal details of the patient are recorded. At the end of the episode, at the time of separation from hospital, details of the episode itself are recorded, including the principal diagnosis (and other diagnoses), principal procedure (and other procedures), and the date, time and method (discharge, transfer or death) of separation. Consequently, hospital inpatient data collections are based on separations. In this atlas the more commonly used term of 'admission' has been used. In an analysis such as this, which excludes long stay patients (other than the few long stay acute patients), there is little difference between the number of admissions and the number of separations in a year. Also, 'admission' is a much more familiar term to many people who will use this atlas.

Standardised ratios

Data on which many of the variables have been mapped has been adjusted to remove differences in the data between areas mapped where those differences result from differences in the age and/or sex profiles of the populations being examined. This standardisation process is described in Appendix 1.3, *Analysis and presentation of data*.

Statistical Local Area

The Statistical Local Area (SLA) is a standard geographic area established by the Australian Bureau of Statistics (ABS) to cover the whole of Australia, for the purposes of geographically coding data. It is, in a majority of cases, equivalent to a legal local government area (LGA). SLAs comprise whole LGAs; part LGAs (where the LGA has been split for planning, administrative or statistical purposes); or are unincorporated areas. In Queensland there were 125 LGAs and 449 SLAs at 1 July 1996 (ABS 1996).

Symbols used

n.a.	not available
..	not applicable
-	nil, or less than half the final digit shown
BSD	Brisbane Statistical Division
C	City
S	Shire
T	Town

This page intentionally left blank