

# ***A SOCIAL HEALTH ATLAS OF AUSTRALIA***

***Second Edition***

## **Volume 7: Tasmania**

**John Glover, Vija Watts and Sarah Tennant**

**December 1999**

 **Public Health Information Development Unit**

## Copyright

---

© Commonwealth of Australia 1999

This work may be reproduced and used subject to acknowledgement of the source of any material so reproduced.

---

## National Library of Australia Cataloguing in Publication entry

---

Glover, John, 1945-

A social health atlas of Australia

2nd ed.

Bibliography.

Includes index.

ISBN 0 7308 9021 X (set).

ISBN 0 7308 9028 7 (v. 7).

1. Medical geography – Australia - Maps. 2. Medical - geography – Australia - Statistics. 3. Public health – Australia - Maps. 4. Public health – Australia - Statistics. 5. Health facilities – Australia – Utilization - Maps. 6. Health facilities – Australia – Utilization – Statistics. 7. Health surveys – Australia. I. Watts, Vija. II. Tennant, Sarah. III. University of Adelaide. Public Health Information Development Unit. IV. Commonwealth Department of Health and Aged Care (Australia). V. Title.

362.10994

*A Social Health Atlas of Australia* was produced by the Public Health Information Development Unit, University of Adelaide, South Australia. The project was funded by the Commonwealth Department of Health and Aged Care and supported by the South Australian Department of Human Services.

The majority of data mapped in the atlas, and the maps, was produced by Prometheus Information Pty Ltd, using the HealthWIZ software package. Further details of these and other contributors to the project are noted in the *Acknowledgements*.

Cover design by Julie Johninke using a photograph by Paul Doherty (photograph entitled *Merti Merti Sandhills, Strzelecki Track*).

Printed in Australia by Openbook Publishers.

---

## Related publications and software products

---

A Social Health Atlas of Australia, 1992, Vols 1 & 2

HealthWIZ: details available at [www.prometheus.com.au](http://www.prometheus.com.au)

Social health atlas World Wide Web site: [www.publichealth.gov.au](http://www.publichealth.gov.au)

# Foreword

---

The publication of this second edition of ***A Social Health Atlas of Australia*** brings together a wide range of information about the health status of Australians by region, and the health service use by the Australian population.

By presenting the data as maps, the atlas provides a graphical image of the distribution of health status, and differences in the patterns and levels of access to and use of health services at the local level throughout the cities, towns, and rural and remote areas of Australia. The format of the atlas makes the information easy to understand and readily accessible to a broad group of users, including public health planners, providers, researchers, students and the general public.

The graphs of the newly developed Accessibility/Remoteness Index for Australia (ARIA) provide useful information for communities, as well as practitioners and managers in the health sector, to better understand the differences in the statistics that describe health status and health service use.

This data is essential for policy development and local area planning, and for monitoring and evaluating health services. It is also of major importance for resource allocation at the broadest level, and between areas, services and population groups. The maps and tabulations presented in this atlas represent a major compilation of information for these purposes.

I congratulate all those who have contributed to this important project.



Dr Michael Wooldridge  
The Minister for Health and Aged Care

***This page intentionally left blank***

# Executive summary

---

## Introduction

The information in this atlas adds to a convincing body of evidence built up over a number of years in Australia as to the striking disparities in health that exist between groups in the population. People of low socioeconomic status (those who are relatively socially or economically deprived) experience worse health than those of higher socioeconomic status for almost every major cause of mortality and morbidity. The challenge for policy makers, health practitioners and governments is to find ways to address these health inequities.

## Background

The primary aims of the first edition of *A Social Health Atlas of Australia* were to illustrate the spatial distribution of the socioeconomically disadvantaged population, and to compare this with patterns of distribution of major causes of illness and death and use of health services. The maps and correlation analysis highlighted associations between social and economic factors in relation to health and illness.

A number of new variables have been included in this second edition, together with many of the variables from the first edition. One of the additions is the presentation of data by the new Accessibility/Remoteness Index of Australia (ARIA). Also included is a cluster analysis, providing profiles at the Statistical Local Area (SLA) level of the socioeconomic status, health status and health service utilisation of the population.

The extent of change (between the editions) in the patterns of distribution in death rates by socioeconomic status is also highlighted.

## Findings

### Correlation analysis

There were correlations of significance at the SLA level between the indicators of socioeconomic disadvantage and a number of the health status variables in **Hobart**. The strongest of these were generally with the variables for people reporting their health as fair or poor (as opposed to those reporting their health as being excellent, very good, or good); the Physical Component Summary (PCS, a measure of physical health); and the handicap status of the population (**Table 8.1**). Similarly, strong associations were also evident in the correlation analysis with the health service use variables of admissions to hospital (total admissions and admissions to public acute hospitals), as well as admissions for lung cancer, circulatory system diseases, ischaemic heart disease, surgical procedures, hysterectomy.

There were fewer correlations of significance at the SLA level in the non-metropolitan areas of Tasmania than was the case in **Hobart**. This is, in part, a result of the number of areas with relatively small numbers of cases (population, deaths, hospital admissions, etc.) which reduces the strength of the analysis. However a number of variables are highly correlated with each other: these are the variables for single parent families, low income families, unemployed people, dwellings rented from the State housing authority and dwellings without a vehicle.

Various sub-sets of these are correlated with measures of health status and use of health services. The strongest correlations with the measures of socioeconomic disadvantage were with the variables for people reporting their health as fair or poor, and the PCS. Although generally weaker, there was a consistent association between socioeconomic disadvantage and the variables for deaths of males; admissions of males; and admissions for circulatory system diseases; the external causes of accidents, poisonings and violence; and surgical procedures.

### Changes in socioeconomic status

Marked variations were recorded between 1986 and 1996 for a majority of the socioeconomic status variables mapped for Tasmania (**Table 9.1**). For **Hobart**, the largest increases were for the population of Aboriginal and Torres Strait Islander people (an increase of 120.3 per cent over this ten year period); low income families (38.2 per cent); single parent families (37.8 per cent); the occupational grouping of managers and administrators, and professionals (35.6 per cent); people aged 65 years and over (24.8 per cent); unemployed people (17.3 per cent); and female labour force participation (10.1 per cent). The largest decreases recorded over this ten year period were for the variables for unskilled and semi-skilled workers (down by 18.5 per cent) and unemployment among 15 to 19 year olds (down by 15.3 per cent).

Variations of this order were also recorded in the non-metropolitan areas of Tasmania. The major differences from the changes noted for **Hobart** were the smaller increases in the population of Aboriginal and Torres Strait Islander people and the occupational grouping of managers and administrators; and larger decrease for unemployment among 15 to 19 year olds.

Substantial variations were recorded in income support payments to residents of **Hobart** for all of the payment types analysed, other than the Age Pension, for which there was a small decrease (a decrease of 5.7 per cent). The number of recipients for each of the other payment types increased substantially, with large increases occurring for disability support pensioners (an increase of 62.6 per cent) and unemployment beneficiaries (61.1 per cent) (**Table 9.1**). Similar, although larger increases were recorded in the non-metropolitan areas of Tasmania for all of these income support payments other than the Age Pension, for which there was a larger decrease (5.9 per cent).

### Changes in death rates

Death rates in Tasmania have declined over the years 1985 to 1989 and 1992 to 1995 for the majority of causes studied.

In **Hobart**, the largest decreases were recorded in the infant death rate (down by 23.2 per cent); and for deaths of people aged from 15 to 64 years from circulatory system diseases (down by 35.0 per cent), lung cancer (down by 29.4 per cent) and respiratory system diseases (down by 15.9 per cent). All causes mortality was 18.4 per cent lower over this period, marginally more so for males than for females.

There were also reductions in rates of premature death in the non-metropolitan areas of Tasmania for all but respiratory system diseases (for which there was a slight increase). However the reductions were all lower, excluding infant deaths and premature deaths from accidents, poisonings and violence, than those recorded for **Hobart**.

## Summary of findings by socioeconomic status of area of residence

Comparisons are made of differences in the health status and health service use of the population by socioeconomic status. In the absence of any direct measure of socioeconomic status in the health status data, the socioeconomic status of the SLA of usual residence in the health status records is used. In this analysis socioeconomic status is measured by the Index of Relative Socio-Economic Disadvantage (IRSD, see page 17). The SLAs in **Hobart** have been grouped into five groups (quintiles) based on the IRSD score, with Quintile 1 comprising the twenty per cent of SLAs with the highest IRSD scores, and Quintile 5 comprising the twenty per cent of SLAs with the lowest IRSD scores. The SLAs in the non-metropolitan areas of Tasmania have been treated in the same way.

### Health status

Although there is some variability across the quintiles, the pattern is generally for the highest socioeconomic status SLAs (those in Quintile 1) to have the most advantageous (ie. in the majority of cases the lowest) rates and for the most disadvantaged SLAs (those in Quintiles 4 and 5) to have the highest rates. The most notable exception is the Physical Component Summary (PCS) score, for which low scores indicate poorer health. There is also a less consistent pattern evident for a number of the variables for premature deaths, with relatively low rates in Quintile 5 (**Figure 9.2**).

Years of potential life lost (YPLL) from deaths between the ages of 15 to 64 years varied from a standardised ratio (SR) in the most advantaged areas of 73 (27 per cent fewer YPLL than were expected from the Australian rates) to an SR of 115 in Quintile 4 (with 15 per cent more YPLL than were expected from the Australian rates): there was a lower SR of 101 in Quintile 5, the most disadvantaged areas. Similar differentials were also evident for deaths of 15 to 64 year olds from circulatory system diseases (from an SDR of 74 in Quintile 1 to 115 in Quintile 4 and 110 in Quintile 5) and females (77 in Quintile 1 to 126 in Quintile 4); and deaths of 15 to 64 years olds from respiratory system diseases (48 to 231).

The main differences from the charts for **Hobart** are the stronger gradients evident for many of the variables.

### Health service utilisation

Although there is some variability across the quintiles, the pattern is generally for the most advantaged SLAs (those in Quintile 1) to have the lowest admission rates, and for the most disadvantaged SLAs (those in Quintile 5) to have the highest rates. The major exceptions include the variables for admissions to a private hospital, admissions for infectious and parasitic diseases and psychosis. There is a less consistent pattern evident for a number of the other variables, particularly those involving a same day admission or admissions for cancer or a lens insertion.

There are only minor variations between the quintiles in the percentages for immunisation rates of children at age 12 months (**Figure 9.3**).

The main differences from the charts for **Hobart** are the stronger gradients evident for many of the variables.

## Change in health status by socioeconomic status of area of residence

As noted above, there has been an overall decrease in death rates in Tasmania; there are also differentials in death rates by socioeconomic status of area. It is possible to examine the extent of the change in death rates by socioeconomic status of area. As data was not available for non-metropolitan SLAs in the first edition of the atlas, the following comparisons have been limited to **Hobart**.

Death rates in **Hobart** declined between 1985-89 and 1992-95 for all of the causes of death, both overall and in the majority of quintiles of socioeconomic status of area.

It is clear, however, that despite the overall decline, the strong gradient in death rates between the quintiles remains. In fact, the differential in death rates for male residents aged from 15 to 64 years between Quintile 1 and Quintile 5 was 2.11 in both 1985-89 and 1992-95: ie. the rates in the most disadvantaged areas were more than twice those in the most advantaged areas.

For females, overall death rates decreased to a similar extent to those for males, and the differential in death rates for female residents aged from 15 to 64 years between Quintile 1 and Quintile 5 also decreased, from 1.85 times higher in the most disadvantaged areas in 1985-89 to 1.78 times higher in 1992-95.

The differential in infant deaths rate between Quintile 1 (the most advantaged areas) and Quintile 5 (the most disadvantaged areas) has increased notably, from five per cent higher in the most disadvantaged areas in 1985-89 (a rate ratio of 1.05) to more than twice as high in 1992-95 (a rate ratio of 2.42).

Death rates in the 15 to 64 year age group declined for all cancers and for lung cancer (a larger decline), and the differential in rates between Quintile 1 and Quintile 5 also declined, from 1.64 times higher in the most disadvantaged areas in 1985-89 to 1.33 times higher in 1992-95 for cancer, and, more substantially so, for lung cancer, from 3.31 to 1.84.

The overall decline in death rates for deaths of 15 to 64 year olds from circulatory system diseases was the highest among the causes of death studied, at over one third (35.0 per cent) in **Hobart**. The differential in rates between Quintile 1 and Quintile 5 increased, from 2.07 times higher in the most disadvantaged areas in 1985-89 to 2.29 times higher in 1992-95.

The differential in death rates from respiratory system diseases across the quintiles of socioeconomic status of area of residence in **Hobart** increased substantially. In 1985-89 it was 2.61; by 1992-95 it had increased (by 40.6 per cent) to 3.67. This was the largest differential in death rates for any of the causes studied.

Death rates of 15 to 64 year old people from the external causes of accidents, poisonings and violence are also highest in the most disadvantaged areas of **Hobart**. Again, the differential in 1992-95 is higher than in 1985-89 (up from 2.68 to 2.85).

## Conclusion

There is clear evidence in the data of an association at the SLA level between high premature death rates (both for deaths from all causes and from most specific causes) and socioeconomic disadvantage, as measured by the IRSD. These associations are generally evident not only between the most advantaged (Quintile 1) and disadvantaged areas (Quintile 5), but also at each of the intervening levels of socioeconomic status (Quintiles 2 to 4) (**Figures 9.2 and 9.4**).

Similarly, there are associations between socioeconomic disadvantage and high rates of hospital admission in both **Hobart** and the non-metropolitan areas of Tasmania (**Figures 9.3 and 9.5**).

It is also clear that, despite an overall improvement in death rates from all causes and for all of the specific causes studied for **Hobart (Table 9.2, Figure 9.6)**, these improvements have not resulted in significant overall reductions in the disparities evident in death rates between residents of the most well off areas and those in the poorest areas.

*This page intentionally left blank*

# Using the *Social Health Atlas*

## The social health atlas package

This second edition of *A Social Health Atlas of Australia* comprises:

- this volume for Tasmania and a companion volume (Volume 7.1) containing the data mapped (the numbers and rate/ratio/percentages on which the maps are based); and
- similar volumes for each of the other States and Territories and a separate atlas for Australia as a whole (each of these atlases also has a companion volume containing the data mapped).

Some of the data from the atlas are also available on the **HealthWIZ** statistics database product, which comprises comprehensive health statistics from Australia's hospital systems, cause of death registries, population censuses, cancer registries, Medicare and income support system, as well as details of aged care and child care.

This volume contains general background information to the atlas, as well as maps of selected variables showing patterns of socioeconomic status, health status and health and welfare service use at a small area level. Each of these maps is accompanied by a commentary.

The text and maps can also be downloaded for reading and printing from the Public Health Information Development Unit World Wide Web site at [www.publichealth.gov.au](http://www.publichealth.gov.au). The text (including the maps and graphs) and datasets on which the maps are based are available on CD-ROM (for Windows). Further details are in Appendix 1.1, *Project Resources and Output*.

## Content

The atlas has nine chapters, an appendix, a bibliography and an index. The chapters are:

- 1 Introduction
- 2 Methods
- 3 Demography and socioeconomic status
- 4 Income support payments
- 5 Health status
- 6 Utilisation of health services
- 7 Availability of selected health services
- 8 Statistical analysis
- 9 Summary

Chapters 1 and 2 provide an overview of the atlas and the approach taken in analysing and mapping data. These sections contain important information on the limitations of the mapped data. The Appendix provides additional background information, and the *Glossary*, at the end of this section, defines some of the terms used.

Chapters 3 to 7 each provide an introduction to the topic(s) being mapped, as well as the maps and associated commentary.

Chapter 8 shows the results of the correlation and cluster analyses. Chapter 9 presents details of the major changes noted in the data between this second and the first edition, as well as some summary measures of the health differentials calculated from the health status and health service utilisation data mapped in Chapters 5 and 6.

## Using the atlas

Some people will use the atlas as a reference source, either going to particular maps (eg. of hospital surgical procedures), or using the index to find a particular topic (eg. deaths from circulatory system diseases) or variable (eg. tonsillectomy).

Others may choose to examine the correlation matrices and to then view the maps for variables for which the data are highly correlated. Or they may access the data in a spreadsheet and re-group the SLAs to suit their own purpose, recalculating the percentages or standardised ratios to represent the new spatial groupings.

To assist users in reading the maps, the layout of the two map types used most frequently is described below. The more detailed discussion in Chapter 2 on the way in which the data have been analysed and presented is, however, important in terms of gaining an understanding of how best to use the data and maps in this atlas. Users of the atlas are particularly encouraged to read this chapter to ensure they are aware of the deficiencies in the datasets presented, as well as in the mapping approach used.

## Map of Hobart

### Area mapped

The area mapped is the Statistical Division of **Hobart** (generally known as the capital city area). The spatial unit mapped is the Statistical Local Area (SLA).

Additional details, including key maps to assist in the location and identification of particular SLAs, are in *Appendix 1.2*: a set of clear film overlays to assist in this process is included in a pocket inside the back cover of this atlas.

### Data measures mapped

The map sub-title indicates the format in which the data are presented. In a majority of cases, data are mapped as either a percentage or age (or age-sex) standardised ratio (the process of standardisation is described in Appendix 1.3, *Analysis and presentation of data*). The exceptions are the maps, in Chapter 7, of the location of selected health services; the Index of Relative Socio-Economic Disadvantage mapped in Chapter 3; the infant death rate; and the Total Fertility Rate.

The legend shows the data ranges used to indicate the spatial distribution of the characteristic being mapped.

Footnotes on the map page draw attention to particular aspects of the mapped data and the source of data.

## Description

The text associated with the maps provides background information on the variable being mapped and describes the pattern of distribution of the variable at the SLA level.

The commentary in the top section provides information about the topic being mapped, as well as a comparison between the capital cities and, where the data is available, refers to the situation reported in the first edition of the atlas. For variables where the data are age (or age-sex) standardised, these comparisons are made across Australia (with Australia as the standard for comparison).

In the lower two thirds of the page, attention is drawn to other sources of information about the variable, or characteristics of the population under discussion. The pattern of distribution shown in the map is then described, and associations evident in the correlation analysis with other variables are noted. Users should note that in these descriptions, where data has been standardised, it has been re-calculated to a new standard – in this atlas, to the Tasmanian State rates (rather than the Australian rates). This allows comparisons to be made between the rates for the SLAs within **Hobart**, and the Tasmanian rates – ie. in effect the State average. This differs from the commentary on the top of the page, for which comparisons are made with the Australian rates.

Where the numbers of cases are relatively small (and, in particular, where these small numbers are associated with elevated rates), the absolute numbers are included in the commentary. The numbers (as well as the percentages, rates and ratios) are available in printed and electronic forms and should be used in conjunction with the information in this atlas.

## Map of Tasmania: referred to as the 'non-metropolitan areas' of Tasmania

### Area mapped

The spatial units mapped are again SLAs: however **Hobart** is mapped as one area (ie. not by SLA) to enhance comparisons between this major urban centre and the non-metropolitan areas.

Towns with a population of 7,500 or more (but less than the urban centre cut-off of 100,000) are represented on the maps as circles. Unfortunately, data for many towns is not available for the datasets in the atlas (other than the Census data).

As noted above in relation to the map of **Hobart**, additional details are in *Appendix 1.2*: a set of clear film overlays to assist in the location and identification of particular SLAs is included in a pocket inside the back cover of this atlas.

### Data measures mapped

See comments above concerning **Hobart**.

## Description

Again, commentary in the top section provides information about the topic being mapped, as well as national comparisons, this

time comparing the 'other' major urban centres (those population centres of 100,000 or larger which are not capital cities) and the areas of Australia outside of the capital cities and other major urban centres. These regional/rural/remote areas are referred to in the text as 'non-metropolitan areas'. Where the data are age (or age-sex) standardised, the standard is, again, Australia.

The lower two thirds of the page again draws attention to other sources of information about the variable, or characteristics of the population under discussion. The pattern of distribution shown in the map is then described, and associations evident in the correlation analysis with other variables are noted. Users should note that in these descriptions, where data has been standardised, it has been re-calculated to a new standard – in this atlas, to the Tasmanian State rates (rather than the Australian rates). This allows comparisons to be made between the rates for the SLAs within the non-metropolitan areas of Tasmania and the State rates – ie. in effect the State average.

The cautions in the main introduction and in the introductory notes to each chapter are particularly relevant to the non-metropolitan areas, with their geographically large SLAs and relatively small, scattered populations.

### Additional information: ARIA Index

In addition to the map, the map page includes a graph showing the average measure for the variable in each of five levels of accessibility/remoteness, as determined by the Accessibility/Remoteness Index for Australia (ARIA). This Index is described in more detail in Chapter 2, under the heading *Accessibility and Remoteness*. In brief, each SLA in Tasmania has been allocated to one of five categories, which range from Highly Accessible, through Accessible, Moderately Accessible and Remote, to Very Remote. The average percentage, rate or ratio for each of the five categories is then calculated for each variable and presented as a graph. The graph is accompanied by a brief comment on the distribution across the categories.

# Contents

<b>Chapter</b>	<b>Page</b>
<b>Foreword</b>	iii
<b>Executive summary</b>	v
<b>Using the <i>Social Health Atlas</i></b>	ix
<b>List of maps</b>	xiv
<b>List of tables</b>	xvii
<b>List of figures</b>	xxi
<b>Acknowledgements</b>	xxiii
<b>Glossary and explanatory notes</b>	xxv
<b>1 Introduction</b>	1
<b>2 Methods</b>	7
<b>3 Demography and socioeconomic status</b>	15
<b>Introduction, data sources and explanatory notes</b>	
<b>Age distribution</b>	
children aged 0 to 4 years	20
people aged 65 years and over	24
<b>Families</b>	
single parent families	28
low income families	32
<b>Labour force</b>	
unskilled and semi-skilled workers	36
unemployed people	38
female labour force participation	42
<b>Educational participation and achievement</b>	
people who left school at age 15 years or less, or did not go to school	46
<b>Aboriginal and Torres Strait Islander people</b>	50
<b>People born in predominantly non-English speaking countries</b>	
number resident in Australia for five years or more	54
number resident in Australia for less than five years	58
proficiency in English	62
<b>Housing</b>	
dwellings rented from State/Territory housing authority	66
dwellings with no motor vehicle	70
<b>SEIFA Index of Relative Socio-Economic Disadvantage</b>	74
<b>4 Income support payments</b>	79
<b>Introduction, data sources and explanatory notes</b>	
Age pensioners	82
Disability support pensioners	86
Female sole parent pensioners	90
People receiving an unemployment benefit	94
Dependent children of selected pensioners and beneficiaries	98

<b>Chapter</b>	<b>Page</b>
<b>5 Health status</b>	103
<b>Introduction, data sources and explanatory notes</b>	
<b>Synthetic Predictions of selected health status measures</b>	109
<b>Introduction, data sources and explanatory notes</b>	
<b>People reporting their health as fair or poor</b>	112
<b>Physical Component Summary, SF36</b>	116
<b>Handicap status</b>	120
<b>Deaths</b>	125
<b>Introduction, data sources and explanatory notes</b>	
under one year of age : infant deaths	132
15 to 64 year olds	
all causes: males	134
all causes: females	138
all cancers	142
lung cancer	146
circulatory system diseases	150
respiratory system diseases	154
accidents, poisonings and violence	157
15 to 24 year olds	
accidents, poisonings and violence	171
<b>Years of potential life lost</b>	164
<b>Total Fertility Rate</b>	173
<b>6 Utilisation of health services</b>	179
<b>Introduction, data sources and explanatory notes</b>	
<b>Hospital admissions (including for surgical procedures)</b>	181
<b>Introduction and explanatory notes</b>	
public acute hospitals and private hospitals	192
public acute hospitals	196
private hospitals	200
public acute and private hospitals	
males	204
females	208
same day patients	212
infectious and parasitic diseases	216
all cancers	220
lung cancer	224
cancer of the female breast	228
psychosis	230
neurotic, personality or other mental disorders	234
all circulatory system diseases	238
ischaemic heart disease	242
all respiratory system diseases	246
0 to 4 years olds with respiratory system disease	250
bronchitis, emphysema and asthma	254
accidents, poisonings and violence	258

<b>Chapter</b>	<b>Page</b>
<b>Hospital admissions for surgical procedures</b>	263
<b>Introduction, data sources and explanatory notes</b>	
admissions for a surgical procedure	266
same day admissions for a surgical procedure	270
tonsillectomy and/or adenoidectomy	274
myringotomy	278
Caesarean section	282
hysterectomy	286
hip replacement	290
lens insertion	294
endoscopy	298
<b>General medical practitioner (GP) services</b>	305
<b>Introduction, data sources and explanatory notes</b>	
GP services	
males	308
females	312
<b>Immunisation status of one year old children</b>	316
<b>7 Availability of selected health services</b>	321
<b>Introduction, data sources and explanatory notes</b>	
Population per GP	324
Hospital beds	
public acute hospitals	328
private hospitals	332
Residential care places	
Nursing home places	336
Hostel places	340
<b>8 Statistical analysis</b>	345
<b>Introduction and explanatory notes</b>	
<b>Correlation analysis</b>	345
<b>Cluster analysis</b>	353
<b>9 Summary of findings</b>	369
<b>Introduction</b>	
<b>Changes in data rates between editions</b>	369
<b>Summary of findings by socioeconomic status of area of residence</b>	370
<b>Appendix 1: Supporting documentation</b>	381
1.1 Project resources and output	383
1.2 Geographic areas mapped	385
1.3 Analysis and presentation of data	391
1.4 Classification of deaths, admissions and procedures	393
1.5 Synthetic estimates for small area	395
1.6 Additional details of cluster analysis	399
<b>Bibliography</b>	403
<b>Index</b>	413

# List of maps

<b>Chapter &amp; Map</b>	<b>Page</b>
<b>2 Methods</b>	
2.1 Accessibility/Remoteness Index of Australia (ARIA), 1996	9
2.2 Accessibility/Remoteness Index of Australia (ARIA), for SLAs in Tasmania, 1996	10
<b>3 Demography and socioeconomic status</b>	
3.1 Children aged 0 to 4 years, Hobart, 1996	21
3.2 Children aged 0 to 4 years, Tasmania, 1996	23
3.3 People aged 65 years and over, Hobart, 1996	25
3.4 People aged 65 years and over, Tasmania, 1996	27
3.5 Single parent families, Hobart, 1996	29
3.6 Single parent families, Tasmania, 1996	31
3.7 Low income families, Hobart, 1996	33
3.8 Low income families, Tasmania, 1996	35
3.9 Unskilled and semi-skilled workers, Hobart, 1996	37
3.10 Unemployed people, Hobart, 1996	39
3.11 Unemployed people, Tasmania, 1996	41
3.12 Female labour force participation, Hobart, 1996	43
3.13 Female labour force participation, Tasmania, 1996	45
3.14 People who left school at age 15 years or less, or did not go to school, Hobart, 1996	47
3.15 People who left school at age 15 years or less, or did not go to school, Tasmania, 1996	49
3.16 Aboriginal and Torres Strait Islander people, Hobart, 1996	51
3.17 Aboriginal and Torres Strait Islander people, Tasmania, 1996	53
3.18 People born in predominately non-English speaking countries and resident in Australia for five years or more, Hobart, 1996	55
3.19 People born in predominately non-English speaking countries and resident in Australia for five years or more, Tasmania, 1996	57
3.20 People born in predominately non-English speaking countries and resident for less than five years, Hobart, 1996	59
3.21 People born in predominately non-English speaking countries and resident for less than five years, Tasmania, 1996	61
3.22 Poor proficiency in English of people aged five years and over and born in predominately non-English speaking countries, Hobart, 1996	63
3.23 Poor proficiency in English of people aged five years and over and born in predominately non-English speaking countries, Tasmania, 1996	65
3.24 Dwellings rented from the State housing authority, Hobart, 1996	67
3.25 Dwellings rented from the State housing authority, Tasmania, 1996	69
3.26 Dwellings with no motor vehicles, Hobart, 1996	71
3.27 Dwellings with no motor vehicles, Tasmania, 1996	73
3.28 SEIFA Index of Relative Socio-Economic Disadvantage, Hobart, 1996	75
3.29 SEIFA Index of Relative Socio-Economic Disadvantage, Tasmania, 1996	77
<b>4 Income support payments</b>	
4.1 Age pensioners, Hobart, 30 June 1996	83
4.2 Age pensioners, Tasmania, 30 June 1996	85
4.3 Disability support pensioners, Hobart, 30 June 1996	87
4.4 Disability support pensioners, Tasmania, 30 June 1996	89
4.5 Female sole parent pensioners, Hobart, 30 June 1996	91
4.6 Female sole parent pensioners, Tasmania, 30 June 1996	93
4.7 People receiving an unemployment benefit, Hobart, 30 June 1996	95
4.8 People receiving an unemployment benefit, Tasmania, 30 June 1996	97
4.9 Dependent children of selected pensioners and beneficiaries, Hobart, 30 June 1996	99
4.10 Dependent children of selected pensioners and beneficiaries, Tasmania, 30 June 1996	101

<b>5</b>	<b>Health status</b>	
5.1	People reporting their health as fair or poor, Hobart, 1995	113
5.2	People reporting their health as fair or poor, Tasmania, 1995	115
5.3	Physical Component Summary, SF-36, Hobart, 1995	117
5.4	Physical Component Summary, SF-36, Tasmania, 1995	119
5.5	Estimated number of people with a handicap, Hobart, 1993	121
5.6	Estimated number of people with a handicap, Tasmania, 1993	123
5.7	Infant deaths, Hobart, 1992 to 1995	133
5.8	Deaths of males aged 15 to 64 years from all causes, Hobart, 1992 to 1995	135
5.9	Deaths of males aged 15 to 64 years from all causes, Tasmania, 1992 to 1995	137
5.10	Deaths of females aged 15 to 64 years from all causes, Hobart, 1992 to 1995	139
5.11	Deaths of females aged 15 to 64 years from all causes, Tasmania, 1992 to 1995	141
5.12	Deaths of people aged 15 to 64 years from cancer, Hobart, 1992 to 1995	143
5.13	Deaths of people aged 15 to 64 years from cancer, Tasmania, 1992 to 1995	145
5.14	Deaths of people aged 15 to 64 years from lung cancer, Hobart, 1992 to 1995	147
5.15	Deaths of people aged 15 to 64 years from lung cancer, Tasmania 1992 to 1995	149
5.16	Deaths of people aged 15 to 64 years from circulatory system diseases, Hobart, 1992 to 1995	151
5.17	Deaths of people aged 15 to 64 years from circulatory system diseases, Tasmania, 1992 to 1995	153
5.18	Deaths of people aged 15 to 64 years from respiratory system diseases, Hobart, 1992 to 1995.	155
5.19	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, Hobart, 1992 to 1995	161
5.20	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, Tasmania, 1992 to 1995	163
5.21	Deaths of people aged 15 to 64 years; years of potential life lost, Hobart, 1992 to 1995	165
5.22	Deaths of people aged 15 to 64 years; years of potential life lost, Tasmania, 1992 to 1995	167
5.23	Total Fertility Rate, Hobart, 1992 to 1995	175
5.24	Total Fertility Rate, Tasmania, 1992 to 1995	177
<b>6</b>	<b>Utilisation of health services</b>	
6.1	Admissions to public acute hospitals and private hospitals, Hobart, 1995/96	193
6.2	Admissions to public acute hospitals and private hospitals, Tasmania, 1995/96	195
6.3	Admissions to public acute hospitals, Hobart, 1995/96	197
6.4	Admissions to public acute hospitals, Tasmania, 1995/96	199
6.5	Admissions to private hospitals, Hobart, 1995/96	201
6.6	Admissions to private hospitals, Tasmania, 1995/96	203
6.7	Admissions of males, Hobart, 1995/96	205
6.8	Admissions of males, Tasmania, 1995/96	207
6.9	Admissions of females, Hobart, 1995/96	209
6.10	Admissions of females, Tasmania, 1995/96	211
6.11	Same day admissions, Hobart, 1995/96	213
6.12	Same day admissions, Tasmania, 1995/96	215
6.13	Admissions for infectious and parasitic diseases, Hobart, 1995/96	217
6.14	Admissions for infectious and parasitic diseases, Tasmania, 1995/96	219
6.15	Admissions for cancer, Hobart, 1995/96	221
6.16	Admissions for cancer, Tasmania, 1995/96	223
6.17	Admissions for lung cancer, Hobart, 1995/96	225
6.18	Admissions for lung cancer, Tasmania, 1995/96	227
6.19	Admissions of females aged 40 years and over for breast cancer, Hobart, 1995/96	229
6.20	Admissions for psychosis, Hobart, 1995/96	231
6.21	Admissions for psychosis, Tasmania, 1995/96	233
6.22	Admissions for neurotic, personality or other mental disorders, Hobart, 1995/96	235
6.23	Admissions for neurotic, personality or other mental disorders, Tasmania, 1995/96	237
6.24	Admissions for circulatory system diseases, Hobart, 1995/96	239
6.25	Admissions for circulatory system diseases, Tasmania, 1995/96	241
6.26	Admissions for ischaemic heart disease, Hobart, 1995/96	243
6.27	Admissions for ischaemic heart disease, Tasmania, 1995/96	245
6.28	Admissions for respiratory system disease, Hobart, 1995/96	247
6.29	Admissions for respiratory system diseases, Tasmania, 1995/96	249

<b>Chapter &amp; Map</b>	<b>Page</b>	
6.30	Admissions of children aged 0 to 4 years for respiratory system diseases, Hobart, 1995/96	251
6.31	Admissions of children aged 0 to 4 years for respiratory system diseases, Tasmania, 1995/96	253
6.32	Admissions for bronchitis, emphysema or asthma, Hobart, 1995/96	255
6.33	Admissions for bronchitis, emphysema or asthma, Tasmania, 1995/96	257
6.34	Admissions from accidents, poisonings and violence, Hobart, 1995/96	259
6.35	Admissions from accidents, poisonings and violence, Tasmania, 1995/96	261
6.36	Admissions for a surgical procedure, Hobart, 1995/96	267
6.37	Admissions for a surgical procedure, Tasmania, 1995/96	269
6.38	Same day admissions for a surgical procedure, Hobart, 1995/96	271
6.39	Same day admissions for a surgical procedure, Tasmania, 1995/96	273
6.40	Admissions for a tonsillectomy and/or adenoidectomy, Hobart, 1995/96	275
6.41	Admissions for a tonsillectomy and/or adenoidectomy, Tasmania, 1995/96	277
6.42	Admissions of children aged 0 to 9 years for a myringotomy, Hobart, 1995/96	279
6.43	Admissions of children aged 0 to 9 years for a myringotomy, Tasmania, 1995/96	281
6.44	Admissions of females aged 15 to 44 years for a Caesarean section, Hobart, 1995/96	283
6.45	Admissions of females aged 15 to 44 years for a Caesarean section, Tasmania, 1995/96	285
6.46	Admissions of females aged 30 years and over for an hysterectomy, Hobart, 1995/96	287
6.47	Admissions of females aged 30 years and over for an hysterectomy, Tasmania, 1995/96	289
6.48	Admissions for a hip replacement, Hobart, 1995/96	291
6.49	Admissions for a hip replacement, Tasmania, 1995/96	293
6.50	Admissions for a lens insertion, Hobart, 1995/96	295
6.51	Admissions for a lens insertion, Tasmania, 1995/96	297
6.52	Admissions for an endoscopy, Hobart, 1995/96	299
6.53	Admissions for an endoscopy, Tasmania, 1995/96	301
6.54	General medical practitioner services to males, Hobart, 1996	309
6.55	General medical practitioner services to males, Tasmania, 1996	311
6.56	General medical practitioner services to females, Hobart, 1996	313
6.57	General medical practitioner services to females, Tasmania, 1996	315
6.58	Immunisation status of children at 12 months of age, Hobart, 1998	317
6.59	Immunisation status of children at 12 months of age, Tasmania, 1998	319
<b>7</b>	<b>Availability of selected health services</b>	
7.1	Population per general medical practitioner, Hobart, 1996/97	325
7.2	Population per general medical practitioner, Tasmania, 1996/97	327
7.3	Public acute hospital beds per 1,000 population, Hobart, 1995/96	329
7.4	Public acute hospital beds per 1,000 population, Tasmania, 1995/96	331
7.5	Private hospital beds per 1,000 population, Hobart, 30 June 1997	333
7.6	Private hospital beds per 1,000 population, Tasmania, 30 June 1997	335
7.7	Nursing home places per 1,000 population aged 70 years and over, Hobart, 30 June 1997	337
7.8	Nursing home places per 1,000 population aged 70 years and over, Tasmania, 30 June 1997	339
7.9	Hostel places per 1,000 population aged 70 years and over, Hobart, 30 June 1997	341
7.10	Hostel places per 1,000 population aged 70 years and over, Tasmania, 30 June 1997	343
<b>8</b>	<b>Statistical analysis</b>	
8.1	Socioeconomic clusters based on Statistical Local Areas in Hobart	356
8.2	Health status clusters based on Statistical Local Areas in Hobart	357
8.3	Health service utilisation clusters based on Statistical Local Areas in Hobart	358
8.4	Social health clusters based on Statistical Local Areas in Hobart	359
8.5	Socioeconomic clusters based on Statistical Local Areas in Tasmania	362
8.6	Health status clusters based on Statistical Local Areas in non-metropolitan areas of Tasmania	363
8.7	Health service utilisation clusters based on Statistical Local Areas in non-metropolitan areas of Tasmania	364
8.8	Social health clusters based on Statistical Local Areas in non-metropolitan areas of Tasmania	365
<b>Appendix 1</b>		
A1	Key map for Statistical Local Areas in Hobart, 1996	386
A2	Key map for Statistical Local Areas in the non-metropolitan areas of Tasmania, 1996	388

# List of tables

Chapter & Table	Page
<b>1 Introduction</b>	
1.1 Correlation coefficients for small areas in Hobart	2
1.2 Small area data of relevance to the National Health Priority Areas	4
<b>2 Methods</b>	
2.1 Conversion of 1996 deaths data to SLA using the ABS Census-based postcode converter: deaths by age group for selected SLAs, South Australia, 1996	12
<b>3 Demography and socioeconomic status</b>	
3.1 Population and area, Tasmania, 1996	15
3.2 Population of Indigenous Australians, 1986 to 1996	16
3.3 Details of demographic and socioeconomic variables mapped	18
3.4 Proportion of population aged 0 to 4 years, capital cities	20
3.5 Proportion of population aged 0 to 4 years, State/Territory	22
3.6 Proportion of population aged 65 years and over, capital cities	24
3.7 Structure of population aged 65 years and over, Tasmania, 1986 and 1996	24
3.8 Proportion of population aged 65 years and over, State/Territory	26
3.9 Single parent families, capital cities	28
3.10 Housing tenure by family type, Hobart, 1996	28
3.11 Single parent families, State/Territory	30
3.12 Low income families, capital cities	32
3.13 Low income families, State/Territory	34
3.14 Unskilled and semi-skilled workers, capital cities	36
3.15 Unemployed people, capital cities	38
3.16 Unemployed people, State/Territory	40
3.17 Unemployment rates by age, sex and area, Tasmania, 1996	40
3.18 Female labour force participation, capital cities	42
3.19 Female labour force participation, State/Territory	44
3.20 People who left school at age 15 years or less, or did not go to school, capital cities	46
3.21 People who left school at age 15 years or less, or did not go to school, State/Territory	48
3.22 Aboriginal and Torres Strait Islander people, capital cities	50
3.23 Aboriginal and Torres Strait Islander people, State/Territory	52
3.24 People born in predominantly non-English speaking countries and resident in Australia for 5 years or more, capital cities	54
3.25 People born in predominantly non-English speaking countries and resident in Australia for 5 years or more, State/Territory	56
3.26 People born in predominantly non-English speaking countries and resident in Australia for less than 5 years, capital cities	58
3.27 People born in predominantly non-English speaking countries and resident in Australia for less than 5 years, State/Territory	60
3.28 Poor proficiency in English of people aged 5 years and over and born in predominantly non-English speaking countries, capital cities	62
3.29 Poor proficiency in English of people aged 5 years and over and born in predominantly non-English speaking countries, State/Territory	64
3.30 Dwellings rented from the State housing authority, capital cities	66
3.31 Dwellings rented from the State housing authority, State/Territory	68
3.32 Dwellings with no motor vehicle, capital cities	70
3.33 Dwellings with no motor vehicle, State/Territory	72
3.34 SEIFA Index of Relative Socio-Economic Disadvantage, capital cities	74
3.35 SEIFA Index of Relative Socio-Economic Disadvantage, State/Territory	76

**4 Income support payments**

4.1	Income support payments mapped, 30 June 1996	79
4.2	Age pensioners, capital cities	82
4.3	Age pensioners, State/Territory	84
4.4	Disability support pensioners, capital cities	86
4.5	Disability support pensioners, State/Territory	88
4.6	Female sole parent pensioners, capital cities	90
4.7	Female sole parent pensioners, State/Territory	92
4.8	People receiving an unemployment benefit, capital cities	94
4.9	People receiving an unemployment benefit, State/Territory	96
4.10	Dependent children of selected pensioners and beneficiaries, capital cities	98
4.11	Dependent children of selected pensioners and beneficiaries, State/Territory	100

**5 Health Status**

5.1	Health status indicators by socioeconomic disadvantage of area and sex, Australia, late 1980s	103
5.2	Rate ratio of mortality inequality by socioeconomic disadvantage of area, 1985-87 and 1995-97	104
5.3	Generic names for merged Statistical Local Areas	107
5.4	People reporting their health as fair or poor, capital cities	112
5.5	People reporting their health as fair or poor, State/Territory	114
5.6	Physical Component Summary, capital cities, 1995	116
5.7	Physical Component Summary, State/Territory, 1995	118
5.8	Estimated number of people with a handicap, capital cities	120
5.9	Estimated number of people with a handicap, State/Territory	122
5.10	Deaths by cause and age, Tasmania, 1992 to 1995	127
5.11	Deaths by selected cause and area, Tasmania, 1992 to 1995	128
5.12	Infant deaths, capital cities	132
5.13	Deaths of males aged 15 to 64 years from all causes, capital cities	134
5.14	Deaths of males aged 15 to 64 years from all causes, State/Territory	136
5.15	Deaths of females aged 15 to 64 years from all causes, capital cities	138
5.16	Deaths of females aged 15 to 64 years from all causes, State/Territory	140
5.17	Deaths of people aged 15 to 64 years from cancer, capital cities	142
5.18	Deaths of people aged 15 to 64 years from cancer, State/Territory	144
5.19	Deaths of people aged 15 to 64 years from lung cancer, capital cities	146
5.20	Deaths of people aged 15 to 64 years from lung cancer, State/Territory	148
5.21	Deaths of people aged 15 to 64 years from circulatory system diseases, capital cities	150
5.22	Deaths of people aged 15 to 64 years from circulatory system diseases, State/Territory	152
5.23	Deaths of people aged 15 to 64 years from respiratory system diseases, capital cities	154
5.24	Deaths from accidents, poisonings & violence, by cause, Tasmania, 1992 to 1995	157
5.25	Deaths from accidents, poisonings and violence, by area of residence, Tasmania, 1992 to 1995	157
5.26	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, capital cities	160
5.27	Deaths of people aged 15 to 64 years from accidents, poisonings and violence, State/Territory	162
5.28	Deaths of people aged 15 to 64 years: years of potential life lost, capital cities, 1992 to 1995	164
5.29	Deaths of people aged 15 to 64 years: years of potential life lost, State/Territory, 1992 to 1995	166
5.30	Infant deaths, State/Territory	169
5.31	Deaths of people aged 15 to 64 years from respiratory system diseases, State/Territory	170
5.32	Deaths of people aged 15 to 24 years from accidents, poisonings and violence, capital cities	171
5.33	Deaths of people aged 15 to 24 years from accidents, poisonings and violence, State/Territory	172
5.34	Total Fertility Rate, capital cities, 1992 to 1995	174
5.35	Total Fertility Rate, State/Territory, 1992 to 1995	176

<b>6</b>	<b>Utilisation of health services</b>	
6.1	Health service use by socioeconomic disadvantage of area and sex, Australia, late 1980s	179
6.2	Admissions of Indigenous Australians to public acute and private hospitals, by cause, Australia, 1996/97	182
6.3	Public acute and private hospital admissions included in the analysis, Tasmania, 1995/96	188
6.4	Public acute and private hospital admissions, by type of admission: Comparison between editions	190
6.5	Admissions of residents of Tasmania by State/Territory of location of hospital, 1995/96	190
6.6	Admissions to public acute hospitals and private hospitals, capital cities	192
6.7	Admissions to public acute hospitals and private hospitals, State/Territory	194
6.8	Admissions to public acute hospitals, capital cities, 1995/96	196
6.9	Admissions to public acute hospitals, State/Territory, 1995/96	198
6.10	Admissions to private hospitals, capital cities, 1995/96	200
6.11	Admissions to private hospitals, State/Territory, 1995/96	202
6.12	Admissions of males, capital cities	204
6.13	Admissions of males, State/Territory	206
6.14	Admissions of females, capital cities	208
6.15	Admissions of females, State/Territory	210
6.16	Same day admissions, capital cities, 1995/96	212
6.17	Same day admissions, State/Territory, 1995/96	214
6.18	Admissions with a principal diagnosis of infectious and parasitic diseases, capital cities	216
6.19	Admissions with a principal diagnosis of infectious and parasitic diseases, State/Territory	218
6.20	Admissions with a principal diagnosis of cancer, capital cities	220
6.21	Admissions with a principal diagnosis of cancer, State/Territory	222
6.22	Admissions with a principal diagnosis of lung cancer, capital cities	224
6.23	Admissions with a principal diagnosis of lung cancer, State/Territory	226
6.24	Admissions of females aged 40 years and over with a principal diagnosis of breast cancer, capital cities	228
6.25	Admissions with a principal diagnosis of psychosis, capital cities, 1995/96	230
6.26	Admissions with a principal diagnosis of psychosis, State/Territory, 1995/96	232
6.27	Admissions with a principal diagnosis of neurotic, personality or other mental disorders, capital cities, 1995/96	234
6.28	Admissions with a principal diagnosis of neurotic, personality or other mental disorders, State/Territory, 1995/96	236
6.29	Admissions with a principal diagnosis of circulatory system diseases, capital cities	238
6.30	Admissions with a principal diagnosis of circulatory system diseases, State/Territory	240
6.31	Admissions with a principal diagnosis of ischaemic heart disease, capital cities	242
6.32	Admissions with a principal diagnosis of ischaemic heart disease, State/Territory	244
6.33	Admissions with a principal diagnosis of respiratory system diseases, capital cities	246
6.34	Admissions with a principal diagnosis of respiratory system diseases, State/Territory	248
6.35	Admissions of 0 to 4 year olds with a principal diagnosis of respiratory system diseases, capital cities	250
6.36	Admissions of 0 to 4 year olds with a principal diagnosis of respiratory system diseases, State/Territory	252
6.37	Admissions with a principal diagnosis of bronchitis, emphysema or asthma, capital cities	254
6.38	Admissions with a principal diagnosis of bronchitis, emphysema or asthma, State/Territory	256
6.39	Admissions with an external cause of accidents, poisonings and violence, capital cities	258
6.40	Admissions with an external cause of accidents, poisonings and violence, State/Territory	260
6.41	Admission rates for selected sentinel procedures, public and private hospitals, 1996/1997	263
6.42	Admissions for a surgical procedure, capital cities, 1995/96	266
6.43	Admissions for a surgical procedure, State/Territory, 1995/96	268
6.44	Same day admissions for a surgical procedure, capital cities, 1995/96	270
6.45	Same day admissions for a surgical procedure, State/Territory, 1995/96	272
6.46	Admissions with a principal procedure of tonsillectomy and/or adenoidectomy, capital cities, 1995/96	274
6.47	Admissions with a principal procedure of tonsillectomy and/or adenoidectomy, State/Territory, 1995/96	276
6.48	Admissions of children aged 0 to 9 years with a principal procedure of myringotomy, capital cities, 1995/96	278
6.49	Admissions of children aged 0 to 9 years with a principal procedure of myringotomy, State/Territory, 1995/96	280
6.50	Admissions of females aged 15 to 44 years with a principal procedure of Caesarean section, capital cities, 1995/96	282
6.51	Admissions of females aged 15 to 44 years with a principal procedure of Caesarean section, State/Territory, 1995/96	284
6.52	Admissions of females aged 30 years and over with a principal procedure of hysterectomy, capital cities, 1995/96	286
6.53	Admissions of females aged 30 years and over with a principal procedure of hysterectomy, State/Territory, 1995/96	288

<b>Chapter &amp; Table</b>	<b>Page</b>
6.54 Admissions with a principal procedure of hip replacement, capital cities, 1995/96	290
6.55 Admissions with a principal procedure of hip replacement, State/Territory, 1995/96	292
6.56 Admissions for a lens insertion, capital cities, 1995/96	294
6.57 Admissions for a lens insertion, State/Territory, 1995/96	296
6.58 Admissions with a principal procedure of endoscopy, capital cities, 1995/96	298
6.59 Admissions with a principal procedure of endoscopy, State/Territory, 1995/96	300
6.60 Admissions of females aged 40 years and over with a principal diagnosis of breast cancer, State/Territory	303
6.61 Location of Royal Flying Doctor Service bases and number of services, 1997	306
6.62 General medical practitioner services to males, capital cities	308
6.63 General medical practitioner services to males, State/Territory	310
6.64 General medical practitioner services to females, capital cities	312
6.65 General medical practitioner services to females, State/Territory	314
6.66 Proportion of children who were fully immunised at 12 months of age, capital cities, 1998	316
6.67 Proportion of children who were fully immunised at 12 months of age, capital cities, 1998	318
<b>7 Availability of selected health services</b>	
7.1 Patient days for nursing home type patients in public acute hospitals, by area, States and Territories, 1997/98	322
7.2 Nursing home and hostel places per 1,000 population aged 70 years and over, 1997	322
7.3 Population per general medical practitioner, capital cities	324
7.4 Population per general medical practitioner, State/Territory	326
7.5 Public acute hospital beds per 1,000 population, capital cities	328
7.6 Public acute hospital beds per 1,000 population, State/Territory	330
7.7 Private hospitals beds per 1,000 population, capital cities	332
7.8 Private hospital beds per 1,000 population, State/Territory	334
7.9 Nursing home places per 1,000 population aged 70 years and over, capital cities	336
7.10 Nursing home places per 1,000 population aged 70 years and over, State/Territory	338
7.11 Hostel places per 1,000 population aged 70 years and over, capital cities	340
7.12 Hostel places per 1,000 population aged 70 years and over, State/Territory	342
<b>8 Statistical analysis</b>	
8.1 Correlation matrix for SLAs in Hobart	347
8.2 Correlation matrix for SLAs in the non-metropolitan areas of Tasmania, 1991 boundaries	349
8.3 Correlation matrix for SLAs in the non-metropolitan areas of Tasmania	351
8.4 Variables used in cluster analysis	353
8.5 Composition of SLA clusters in Hobart	354
8.6 Composition of SLA clusters in the non-metropolitan areas of Tasmania	361
8.7 Composition of town clusters in Australia	367
<b>9 Summary of findings</b>	
9.1 Changes in demographic and socioeconomic status variables, by Section of State, Tasmania	369
9.2 Changes in health status variables, by Section of State, Tasmania	370
<b>Appendix</b>	
A1 Urban centres in Tasmania	385
A2 Key to Statistical Local Areas in Hobart, 1996	387
A3 Key to Statistical Local Areas in non-metropolitan areas of Tasmania, 1996	389
A4 Data sources	392
A5 ICD-9 Codes for causes of death mapped in Chapter 5	393
A6 ICD-9 Codes for diagnoses/external causes mapped in Chapter 6	393
A7 ICPM Codes for surgical procedures mapped in Chapter 6	393

# List of figures

Chapter & Figure	Page
<b>3 Demography and socioeconomic status</b>	
3.1 SEIFA Index of Relative Socio-Economic Disadvantage, capital cities	74
3.2 SEIFA Index of Relative Socio-Economic Disadvantage, Rest of State/Territory	76
<b>4 Income support payments</b>	
4.1 Age pensioners, Tasmania, 1996	80
4.2 Disability support pensioners, Tasmania, 1996	80
4.3 Female sole parent pensioners, Tasmania, 1996	81
4.4 Unemployment beneficiaries, Tasmania, 1996	81
<b>5 Health Status</b>	
5.1 Death rates of people aged from 15 to 64 years, by cause, Australia	126
5.2 Death rates of people aged from 15 to 64 years, by cause, Tasmania	126
5.3 Deaths from all causes, by age and sex, Tasmania, 1992 to 1995	128
5.4 Deaths from cancer, by age and sex, Tasmania, 1992 to 1995	129
5.5 Deaths from circulatory system diseases, by age and sex, Tasmania, 1992 to 1995	129
5.6 Deaths from respiratory system diseases, by age and sex, Tasmania, 1992 to 1995	129
5.7 Deaths from accidents, poisonings and violence, by age and sex, Tasmania, 1992 to 1995	130
5.8 Suicide rates of people aged from 25 to 64 years:, Hobart and Rest of State	131
5.9 Suicide rates of people aged from 15 to 24 years, Hobart and Rest of State	131
5.10 Total Fertility Rate, Hobart and Rest of State, 1992 to 1995	173
<b>6 Utilisation of health services</b>	
6.1 Admissions to public acute and private hospitals, by age, Tasmania and Australia, 1995/96	182
6.2 Admissions to public acute and private hospitals, by age and sex, Tasmania, 1995/96	183
6.3 Admissions to public acute hospitals, by age and sex, Tasmania, 1995/96	183
6.4 Admissions to private hospitals, by age and sex, Tasmania, 1995/96	184
6.5 Same day admissions, by age and sex, Tasmania, 1995/96	184
6.6 Admissions for circulatory system diseases, by age and sex, Tasmania, 1995/96	185
6.7 Admissions for respiratory system diseases, by age and sex, Tasmania, 1995/96	185
6.8 Admissions from accidents, poisonings and violence, by age and sex, Tasmania, 1995/96	186
6.9 Admissions for a surgical procedure, by age and sex, Tasmania, 1995/96	186
6.10 Same day admissions for a surgical procedure, by age and sex, Tasmania, 1995/96	186
6.11 General medical practitioner services, by age and sex, Tasmania, 1996-97	306
<b>9 Summary of findings</b>	
9.1 Differentials in IRSD scores for SLAs in Hobart	371
9.2 Health status differentials by quintile of socioeconomic disadvantage of area, Hobart	372
9.3 Health service utilisation differentials by quintile of socioeconomic disadvantage of area, Hobart	373
9.4 Health status differentials by quintile of socioeconomic disadvantage of area, Rest of State	375
9.5 Health service utilisation differentials by quintile of socioeconomic disadvantage of area, Rest of State	376
9.6 Change in health status by Quintile of socioeconomic disadvantage area, Hobart	379

*This page intentionally left blank*

## Acknowledgements

The atlas series was produced with the assistance of a number of people and organisations. This atlas for Tasmania was produced by John Glover, Vija Watts and Sarah Tennant, with the assistance of Kevin Harris. Sarah was also responsible for day to day management of the data (for checking and storing it), for producing many of the tables and graphs, and for generally keeping in touch with the whole project. Some of the early drafting of Chapter 3 in this atlas was undertaken by David Forster and Cameron Joyce, and Caroline Bruce was responsible for the majority of the work in checking and validating the Census data that was supplied for all of the atlases. These three people moved on to other jobs in the early stages of this project. Lucy Glover checked the data in the drafts against the source material and edited it as necessary. Nicholas Glover inserted many of the map files (as did Kieran Moors) and set up the graphs in Chapter 9.

Outside the Public Health Information Development Unit (PHIDU), Prometheus Information Pty Ltd was the major contributor to the project. Prometheus is contracted by the Commonwealth Department of Health and Aged Care to develop HealthWIZ, the software which was used to produce the maps in this atlas and the data tables (on which the maps are based) in Volume 1.1. Some of the information was already held by Prometheus, and other information needed to be obtained from various Commonwealth, State and Territory agencies and added to the HealthWIZ database in a way that ensured comparability. This was no small task. Although the HealthWIZ software included a mapping facility, the particular approach to publishing the atlas required that special arrangements be made to output the maps in a suitable format. For example, the maps were exported from HealthWIZ and pasted into frames in a MS Word document. Each of these documents was then inserted into the appropriate page in the atlas. Much of the work was highly complex and technical, and required attention to detail and knowledge of the datasets (in particular in identifying potential problems in the data and following these up to confirm or correct them) and statistical geography over a number of years. The quality of the final result, evident in the published product, is testimony to their efforts. George Preston, a Director of the company, was always willing to assist. His knowledge of health statistics and his statistical expertise were frequently of value in making decisions about alternative approaches to the analysis and interpretation of data. Daryl Akerlind and Alain Remont designed the software enhancements to provide the pullouts and town overlays for the maps. Other major contributors at Prometheus were Jane Gorrie and Jennifer Chorley, Zlatan Dzumhur, Jane Lindsay, Jennie Widdowson, Ayse Idehen and (in the earlier stages of the project) Swandi Candra.

In addition to funding the project, the Commonwealth Department of Health and Aged Care took a keen interest in the ongoing work. A number of people had a key role in this, including Ruth Parslow, Karl Higgins and Frances Byers (in aspects of project establishment and contract management) and Jan Bennett and Brendan Gibson (overall direction of the project). In more recent months, Joy Eshpeter and Renata Rustowski have had a major role in seeing the project signed off and in

negotiating release arrangements. The support and encouragement of this group of people (and others in the Department) has been greatly appreciated, as were their comments on the final drafts.

The South Australian Department of Human Services had contract responsibility for the atlas for much of the time over which it was produced. They provided a supportive environment in which the atlas could be produced, and made possible the transition of responsibility for the project to PHIDU in April 1999. The support of many people in the Department, including the Chief Executive, Christine Charles, is gratefully acknowledged.

The Australian Institute of Health and Welfare (AIHW) provided the majority of the hospital inpatient data. The AIHW provided other background descriptive material for this chapter, in addition to the data mapped. The main individuals who assisted were Jenny Hargreaves, Janis Shaw and Paul Halliday. The State and Territory health agencies all provided additional details of hospital admissions not available from the AIHW (of admissions of residents of one State or Territory occurring in another).

Colin Mathers of the AIHW and Theo Voss of the Victorian Department of Human Services readily agreed to the use in the atlas of the results of their recent (unpublished) studies into links between socioeconomic status and health status.

All of the data in Chapter 3, as well as a range of other data used throughout the atlas, were purchased from the Australian Bureau of Statistics (ABS). The staff of the Adelaide office of the ABS handled these requests and were thorough and helpful in assisting us to define the data so that it was comparable with that published in the first edition of the atlas. The staff of the ABS office in Hobart were also helpful in providing details of population counts for areas affected by boundary changes that had implications for the datasets being used.

The cluster analysis was a major exercise and was undertaken in a highly professional manner by Graeme Tucker. The ARIA graphs and the graphs in Chapter 9 were exported from a module produced by Andrew McAlindon. This module streamlined the calculation of the many rates, percentages etc. used in these sections of the atlas, as well as the production of the final graphs.

Diana Hetzel and Jeanette Pope provided invaluable support in strengthening the discussion of the socioeconomic determinants of health in Chapter 1. Diana contributed in a number of other ways, in particular by providing much of the referenced background material in the topic introductions throughout the atlas; she also read the final drafts. Tony Woollacott and Fearnley Szuster read a number of earlier drafts and Fearnley also provided many useful comments on the later drafts. Thanks are also due to Julie Johninke who produced the cover design, and to Paul Doherty for the photographic image used on the cover.

The final responsibility for the content and comment remains with me.

John Glover  
Project Manager  
December 1999

*This page intentionally left blank*

# Glossary and Explanatory notes

---

## Cause of death

Causes of death are classified by the Australian Bureau of Statistics to the Ninth (1975) Revision of the World Health Organisation's International Classification of Diseases (ICD-9) which was adopted for world-wide use from 1979.

The cause of death particulars in this publication relate to the underlying cause of death, which the World Health Organisation has defined as the disease or injury which initiated the train of morbid events leading directly to death. Accidental and violent deaths are classified to the circumstances of the accident or violence which produced the fatal injury. Deaths of infants aged less than one month are classified according to the main condition in the infant which contributed to the death.

Details of the ICD-9 codes applicable to the variables mapped in Chapter 5 are shown in *Appendix 1.4*.

## Coding of hospital admissions

Diagnoses and procedures are classified according to the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM October 1988 Revision). External causes are classified according to ICD-9-CM Supplementary Classification of External Causes of Injury and Poisoning ('E' codes) classification codes.

Details of the codes applicable to the variables mapped in Chapter 6 are shown in *Appendix 1.4*.

## Admissions

The technical term describing a completed hospital episode (ie. the discharge, death or transfer of a patient) is a 'separation'.

At the time of admission, the age, sex, address of usual residence and other personal details of the patient are recorded. At the end of the episode, at the time of separation from hospital, details of the episode itself are recorded, including the principal diagnosis (and other diagnoses), principal procedure (and other procedures), and the date, time and method (discharge, transfer or death) of separation. Consequently, hospital inpatient data collections are based on separations. In this atlas the more commonly used term of 'admission' has been used. In an analysis such as this, which excludes long stay patients (other than the few long stay acute patients), there is little difference between the number of admissions and the number of separations in a year. Also, 'admission' is a much more familiar term to many people who will use this atlas.

## Standardised ratios

Data on which many of the variables have been mapped has been adjusted to remove differences in the data between areas mapped where those differences result from differences in the age and/or sex profiles of the populations being examined. This standardisation process is described in Appendix 1.3, *Analysis and presentation of data*.

## Statistical Local Area

The Statistical Local Area (SLA) is a standard geographic area established by the Australian Bureau of Statistics (ABS) to cover the whole of Australia, for the purposes of geographically coding data. It is, in a majority of cases, equivalent to a legal local government area (LGA). SLAs comprise whole LGAs; part LGAs (where the LGA has been split for planning, administrative or statistical purposes); or are unincorporated areas. In Tasmania there were 29 LGAs and 44 SLAs at 1 July 1996 (ABS 1996).

## Symbols used

- n.a. not available
- .. not applicable
- nil, or less than half the final digit shown
- C City
- M Municipality

*This page intentionally left blank*